ATOMIC DATA AND NUCLEAR DATA TABLES **61,** 327–347 (1995)

CUMULATED SUBJECT INDEX 1965–1995

ATOMIC DATA AND NUCLEAR DATA TABLES Vols. 12–61

ATOMIC DATA (AD) Vols. 1–5 NUCLEAR DATA TABLES (NDT) Vols. A1–A11

Categories Used in Subject Index

(2) Absorption Coefficients
(3) Alpha Decay
(4) Angular-Momentum Coefficients
(5) Angular-Correlation or Angular-Distribution Coefficients
(5a1) Atomic Collisions
(5a2) Atomic Levels
(6) Atomic Masses
(6a) Atomic Potentials
(7) Atomic Properties
(8) Atomic Spectra
(9) Atomic Transition Probabilities and Lifetimes
(10) Attenuation
(11) Auger Electrons
(11a) Autoionizing States

(12) $B(E2)$ and $B(E3)$ Data
(13) Beryllium Wavefunction
(14) Beta Decay
(15) Binding Energies, Atomic
(16) Binding Energies, Nuclear
(17) Bremsstrahlung

(19) Capture Gammas
(20) Charged-Particle Cross Sections and Reactions
(21) Charge States of Ions
(22) Compton Profiles
(23) Coster–Kronig Transitions
(24) Cross Sections

(25) Delayed Emission
(25a) Dielectronic Satellites
(26) Dirac–Fock
(27) *d*-Shell

(27a) $E0$ and $E2$ Transitions
(28) Electromagnetic Cascades
(28a) Electron Capture and Loss
(29) Electron Collision Cross Sections
(30) Electron Momentum Transfer
(31) Electron Production of Secondary Electrons
(32) Electron Scattering

(32a) *f*-Shell
(34) Fission
(35) Fission-Product Gammas and Half-Lives
(35a) Form Factors
(36) Fractional Parentage and Factorization
(37) Fundamental Constants

(38) Gamma-Ray Conversion
(39) Gamma-Ray Energies
(40) Gamma-Ray Transition Probabilities

(41) Half-Lives
(42) Harmonic Oscillator
(43) Hartree (Dirac)–Fock Values
(44) Hartree (Dirac)–Fock–Slater Values
(45) Hartree–Fock–Roothaan Values
(46) Heavy-Ion Collisions
(47) Hydrogen Molecule
(48) Hyperfine Fields
(48a) Hyperfine Interactions

(49) Infrared
(50) Inner-Shell Ionization
(51) Internal-Conversion Coefficients
(52) Ionization Energies or Potentials
(53) Isobaric Analog States
(53a) Isoelectronic Sequences
(54) Isomer Shifts, Isotope Shifts

(54a) Lamb Shift
(55) Lifetimes

(56) Masses and Mass Differences
(57) $M1$ and $M2$ Transitions
(57a) Many-Body Perturbation Calculations
(58) Matrix Elements
(60) Mixing Ratios
(61) Molecular Data
(62) Muonic (Mesic) Atoms

(64) Neutron Cross Sections, Scattering Lengths
(65) Neutron-Producing Reactions
(66) Nuclear Bands
(67) Nuclear Charge and Moment Distributions
(68) Nuclear Decay Schemes
(69) Nuclear Masses
(70) Nuclear Models, Optical Model
(71) Nuclear Moments
(72) Nuclear Radii
(73) Nuclear Spectroscopic Factors
(74) Nuclear Stiffness
(75) Nuclear Transition Probabilities

(75a) Opacity
(75b) Optical Model

(75c) Particle–Solid Interactions
(76) Penetration through Matter
(77) Photon Cross Sections
(77a) Photon-Producing Reactions

0092-640X/95 $12.00
Copyright © 1995 by Academic Press, Inc.
All rights of reproduction in any form reserved.

(79) Plasmas
(80) Polarizabilities
(81) Positron Annihilation
(81a) Potentials
(82) Proton and Pion Beams
(83) Proton Cross Sections
(84) Protons on Helium

(85) *Q*-Values

(85a) Radioactivity
(86) Range
(87) Reaction Rates
(87a) Roothaan–Hartree–Fock Values
(88) Rotation, Rotation–Vibration

(88a) Satellites
(88b) Scattering
(89) Screening Constants
(90) *S*-Function Plethysms
(91) Shore and Fano Parameters

(92) Slater Radial Integrals
(92a) Sputtering
(92b) Statistical Spectroscopy
(93) Stopping Power and Range
(94) Structure Amplitudes
(95) SU_3
(95a) Synchrotron Radiation

(96) Thermonuclear Data
(97) Transport
(98) Two-Electron Systems

(99) Velocity Parameters

(99a) Wavelengths

(100) Xenon$^-$ Ion
(101) X Rays

(102) Miscellaneous

(103) World-Wide News (Descriptions of Tables Published Elsewhere)

Absorption Coefficients (*2*)

See *Photon Cross Sections* (*77*)

Alpha Decay (*3*)

Catalogue of Recommended Alpha Energy and Intensity Values, *A. Rytz* **12,** 479 (1973)
New Catalogue of Recommended Alpha Energy and Intensity Values, *A. Rytz* **23,** 507 (1979)
Recommended Energy and Intensity Values of Alpha Particles from Radioactive Decay, *A. Rytz* **47,** 205 (1991)
Half-Lives of Favored Alpha Decays from Nuclear Ground States, *B. Buck, A. C. Merchant,* and *S. M. Perez* **54,** 53 (1993)

Angular-Momentum Coefficients (*4*)

Clebsch-Gordan Coefficients for Nuclear Transition Probabilities for Even-*A* Deformed Nuclei, *T. Yamazaki* NDT **A1,** 453 (1966)
An Introduction to *X*-Coefficients and a Tabulation of Their Values, *P. L. Csonka, T. Haratani,* and *M. J. Moravcsik* NDT **A9,** 235 (1971)

Angular-Correlation or Angular-Distribution Coefficients (*5*)

See also *Mixing Ratios* (*60*)
Directory to Tables and Reviews of Angular-Momentum and Angular-Correlation Coefficients, *K. Way* and *F. W. Hurley* NDT **A1,** 473 (1966)
Tables of Coefficients for Angular Distribution of Gamma Rays from Aligned Nuclei, *T. Yamazaki* NDT **A3,** 1 (1967)
Tables of Coefficients for Angular Correlations of Radiative Transitions from Aligned Nuclei, *D. D. Watson* and *G. I. Harris* NDT **A3,** 25 (1967)
Internal Conversion Tables. Part II: Directional and Polarization Particle Parameters for $Z = 30$ to $Z = 103$, *R. S. Hager* and *E. C. Seltzer* NDT **A4,** 397 (1968)
Internal Conversion Tables. Part III: Coefficients for the Analysis of Penetration Effects in Internal Conversion and *E*0 Internal Conversion, *R. S. Hager* and *E. C. Seltzer* NDT **A6,** 1 (1969)
A Tabulation of Gamma-Gamma Directional-Correlation Coefficients, *H. W. Taylor, B. Singh, F. S. Prato,* and *R. McPherson* NDT **A9,** 1 (1971)
Table of Angular-Distribution Coefficients for (Gamma, Particle) and (Particle, Gamma) Reactions, *R. W. Carr* and *J. E. E. Baglin* NDT **A10,** 143 (1971)
A Tabulation of Gamma–Gamma Directional-Correlation Coefficients for States of High Angular Momenta, *P. E. Haustein, H. W. Taylor, R. McPherson,* and *R. Fairchild* NDT **A10,** 321 (1972)
Directional Correlations of Gamma Radiations Emitted from Nuclear States Oriented by Nuclear Reactions or Cryogenic Methods, *K. S. Krane, R. M. Steffen,* and *R. M. Wheeler* NDT **A11,** 351 (1973)
Orientation Parameters for Low-Temperature Nuclear Orientation, *K. S. Krane* NDT **A11,** 407 (1973)
Tables of Attenuation Coefficients for Angular Distribution of Gamma Rays from Partially Aligned Nuclei, *E. der Mateosian* and *A. W. Sunyar* **13,** 391 (1974)
Tables of Angular-Distribution Coefficients for Gamma Rays of Mixed Multipolarities Emitted by Aligned Nuclei, *E. der Mateosian* and *A. W. Sunyar* **13,** 407 (1974)
Extended Table of Angular-Distribution Coefficients for (Gamma, Particle) and (Particle, Gamma) Reactions, *R. E. Maute, D. P. D'Amato,* and *S. L. Blatt* **13,** 499 (1974)
Table of Differential Polarization Coefficients for (Gamma, Particle) Reactions, *R. M. Laszewski* and *R. J. Holt* **19,** 305 (1977)
Correction to the Table of Differential Polarization Coefficients for (Gamma, Particle) Reactions, *J. E. Monahan, R. J. Holt,* and *R. M. Laszewski* **23,** 97 (1979)
Corrections to Literature Expressions for Angular Distributions of Gamma Reactions Initiated by Polarized Particles, *R. G. Seyler* and *H. R. Weller* **23,** 99 (1979)
Tables of $S_{nN}^{k_1k_2}$ and s_{kn} for γ-Ray-Perturbed Angular Correlations with Quadrupole Interactions, *E. Dafni, R. Bienstock, M. H. Rafailovich,* and *G. D. Sprouse* **23,** 315 (1979)
Tables of Linear-Polarization Mixing Coefficients, *T. Aoki, K. Furuno, Y. Tagishi, S. Ohya,* and *J.-Z. Ruan* **23,** 349 (1979)

Gamma-Ray Linear Polarization Distribution, *J. Rikovska* and *N. J. Stone* **37,** 53 (1987)
Nuclear Spin–Lattice Relaxation Attenuation Coefficients for Use in On-Line Nuclear Orientation Experiments, *T. L. Shaw* and *N. J. Stone* **42,** 339 (1989)
Perturbed Angular Correlations in Polarized Nuclei with Axially Symmetric Quadrupole Interactions: $S_{nN}^{k_1k_2}$ and $a_{k_1k_2}^{N}$ Coefficients, *H. Watanabe* **47,** 33 (1991)
Angular Distribution Coefficients for (γ, X) Reactions with Linearly Polarized Photons, *H. R. Weller, J. Langenbrunner, R. M. Chasteler, E. L. Tomusiak, J. Asai, R. G. Seyler,* and *D. R. Lehman* **50,** 29 (1992)
Erratum **58,** 317 (1994)
Angular Distribution Coefficients for (γ, X) Reactions with Circularly Polarized Photons and Polarized Targets and a Correction to Previous Tables, *H. R. Weller, R. M. Chasteler, B. S. Marks, R. G. Seyler,* and *D. R. Lehman* **58,** 219 (1994)

Atomic Collisions (*5a1*)

See also *Bremsstrahlung* (*17*)
Charge States of Ions (*21*)
Cross Sections (*24*)
Electron Capture and Loss (*28a*)
Particle–Solid Interactions (*75c*)
Stopping Power and Range (*93*)
Transport (*97*)

Selected Bibliography on Atomic Collisions: Data Collections, Bibliographies, Review Articles, Books, and Papers of Particular Tutorial Value, *E. W. McDaniel, M. R. Flannery, E. W. Thomas,* and *S. T. Manson* **33,** 1 (1985)

Atomic Levels (*5a2*)

See also *Hartree (Dirac)–Fock Values* (*43*)
Hartree (Dirac)–Fock–Slater Values (*44*)
Isoelectronic Sequences (*53a*)

Energy Levels and Classifications of Doubly-Excited States in Two-Electron Systems with Nuclear Charge. $Z = 1, 2, 3, 4, 5$, below the $N = 2$ and $N = 3$ Thresholds, *L. Lipsky, R. Anania,* and *M. J. Conneely* **20,** 127 (1977)
Grotrian Diagrams for Highly Ionized Iron Fe VIII–Fe XXVI, *K. Mori, M. Otsuka,* and *T. Kato* **23,** 195 (1979)
Energy Levels for the Configurations $(3d + 4s)^n4p$ in the First Spectra of the Iron Group, K I–Ga I, *C. Roth* **25,** 91 (1980)
Spectral Data and Grotrian Diagrams for Highly Ionized Titanium, Ti V–Ti XXII, *K. Mori, W. L. Wiese, T. Shirai, Y. Nakai, K. Ozawa,* and *T. Kato* **34,** 79 (1986)
Spectral Data and Grotrian Diagrams for Highly Ionized Nickel, Ni IX–Ni XXVIII, *T. Shirai, K. Mori, J. Sugar, W. L. Wiese, Y. Nakai,* and *K. Ozawa* **37,** 235 (1987)
Computed Oscillator Strengths and Energy Levels for Fe II with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **37,** 333 (1987)
Computed Oscillator Strengths and Energy Levels for Fe III, Fe IV, Fe V, and Fe VI with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **41,** 181 (1989)

Atomic Masses (*6*)

See *Masses and Mass Differences* (*56*)

Atomic Potentials (*6a*)

See also *Ionization Energies or Potentials* (*52*)

Optimized Central Potentials for Atomic Ground-State Wavefunctions, *K. Aashamar, T. M. Luke,* and *J. D. Talman* **22,** 443 (1978)

Atomic Properties (*7*)

See *Atomic Collisions* (*5a1*)
Atomic Levels (*5a2*)
Atomic Masses (*6*)
Atomic Potentials (*6a*)
Atomic Spectra (*8*)
Atomic Transition Probabilities and Lifetimes (*9*)
Beryllium Wavefunction (*13*)
Binding Energies, Atomic (*15*)
Compton Profiles (*22*)
Form Factors (*35a*)
Hartree (Dirac)–Fock Values (*43*)
Hartree (Dirac)–Fock–Slater Values (*44*)
Hartree–Fock–Roothaan Values (*45*)
Polarizabilities (*80*)
Xenon⁻ Ion (*100*)

Atomic Spectra (*8*)

See also *Infrared* (*49*)
Isoelectronic Sequences (*53a*)
Satellites (*88a*)

The Emission Spectrum of Curium, *E. F. Worden, E. K. Hulet, R. G. Gutmacher,* and *J. G. Conway* **18,** 459 (1976)
The Emission Spectrum of Berkelium, *E. F. Worden* and *J. G. Conway* **22,** 329 (1978)
Multiplet Table for Fe III, *Y. E. Varshni* **23,** 83 (1979)
Uranium Spectrum between 1.8 and 5.5 Microns Emitted from a Hollow Cathode, *J. G. Conway, E. F. Worden, J. W. Brault, R. P. Hubbard,* and *J. J. Wagner* **31,** 299 (1984)
Spectral Line Intensities for the O I, N I, C I, B I, and Be I Isoelectronic Sequences, $Z = 26–36$, *U. Feldman, J. F. Seely,* and *A. K. Bhatia* **32,** 305 (1985)
Atomic Data and Spectral Line Intensities for the Neon Isoelectronic Sequence (Si V through Kr XXVII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **32,** 435 (1985)
Atomic Data and Spectral Line Intensities for the Boron Isoelectronic Sequence (Ar XIV through Kr XXXII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **35,** 319 (1986)
Atomic Data and Spectral Line Intensities for the Beryllium Isoelectronic Sequence (Ar XV through Kr XXXIII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **35,** 449 (1986)
Atomic Data and Spectral Line Intensities for the Carbon Isoelectronic Sequence (Ar XIII through Kr XXXI), *A. K. Bhatia, J. F. Seely,* and *U. Feldman* **36,** 453 (1987)
Fe II Oscillator Strengths for Identified Lines in Spectra of the Sun and of the Slow Nova RR Tel, *B. C. Fawcett* **40,** 1 (1988)
Atomic Data and Spectral Line Intensities for the Nitrogen Isoelectronic Sequence (Ar XII through Kr XXX), *A. K. Bhatia, J. F. Seely,* and *U. Feldman* **43,** 99 (1989)
Classified Strong Lines of Singly Ionized Praseodymium (Pr II) between 2783 and 25,000 cm^{-1}, *A. Ginibre* **44,** 1 (1990)
Atomic Data and Spectral Line Intensities for Ne-Like Fe XVII, *A. K. Bhatia* and *G. A. Doschek* **52,** 1 (1992)
Atomic Data and Spectral Line Intensities for C-like Ca XV, *A. K. Bhatia* and *G. A. Doschek* **53,** 195 (1993)
Atomic Data and Spectral Line Intensities for C-Like Si IX, *A. K. Bhatia* and *G. A. Doschek* **55,** 281 (1993)
Atomic Data and Spectral Line Intensities for C-Like Ne V, *A. K. Bhatia* and *G. A. Doschek* **55,** 315 (1993)
Atomic Data and Spectral Line Intensities for Fe X, *A. K. Bhatia* and *G. A. Doschek* **60,** 97 (1995)

Atomic Data and Spectral Line Intensities for C-like Mg VII, *A. K. Bhatia* and *G. A. Doschek* **60,** 145 (1995)

Atomic Transition Probabilities and Lifetimes (*9*)

See also *Atomic Spectra* (*8*)
Auger Electrons (*11*)
Infrared (*49*)
Isoelectronic Sequences (*53a*)
Plasmas (*79*)
Satellites (*88a*)
X Rays (*101*)

Critical Evaluation of Transition Probabilities for Ba I and Ba II, *B. M. Miles* and *W. L. Wiese* AD **1,** 1 (1969)
Relativistic Corrections to Ionization Energies and Theoretical Dipole Oscillator Strengths for Fe XVI, Co XVII, and Ni XVIII, *C. E. Tull, R. P. McEachran,* and *M. Cohen* AD **3,** 169 (1971)
Total and Partial Atomic-Level Widths, *O. Keski-Rahkonen* and *M. O. Krause* **14,** 139 (1974)
Lifetimes of Doubly-Excited States of Atomic Helium: Theoretical and Experimental Values, *W. Shearer-Izumi* **20,** 531 (1977)
Theoretical Transition Probabilities and Lifetimes in Kr I and Xe I Spectra, *M. Aymar* and *M. Coulombe* **21,** 537 (1978)
Transition Probabilities and Branching Ratios for Electric-Dipole Transitions between Arbitrary Levels of Hydrogen-like Atoms, *K. Omidvar* **28,** 1 (1983)
Transition Probabilities, Lifetimes, and Branching Ratios in Hydrogen-like Atoms in the Linear Stark Effect, *K. Omidvar* **28,** 215 (1983)
Energy Levels, Lifetimes, Wavelengths, and Transition Probabilities of Fe XIV, *C. Froese Fischer* and *B. Liu* **34,** 261 (1986)
Transition Probabilities for the Helium Singly Excited States $1snl^{1,3}L$ with $n = 2$–21 and $l = 0$–5, *C. E. Theodosiou* **36,** 97 (1987)
Computed Oscillator Strengths and Energy Levels for Fe II with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **37,** 333 (1987)
Oscillator Strengths for Neutral Atomic Carbon, *G. A. Victor* and *V. Escalante* **40,** 203 (1988)
Oscillator Strengths for Singly Ionized Nitrogen, *G. A. Victor* and *V. Escalante* **40,** 227 (1988)
Computed Oscillator Strengths and Energy Levels for Fe III, Fe IV, Fe V, and Fe VI with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **41,** 181 (1989)
Computed Oscillator Strengths and Landé g-Values of Ce II, *B. C. Fawcett* **46,** 217 (1990)
Computed Oscillator Strengths, Landé *g*-Values, and Lifetimes in Yb II, *B. C. Fawcett* and *M. Wilson* **47,** 241 (1991)
Improved Oscillator Strength Calculations for Ti VI and Fe X, *B. C. Fawcett* **47,** 319 (1991)
Wavelengths and Transition Probabilities for Some $\Delta n \geqslant 0$ Allowed Transitions in Aluminum Ions (Al V–Al VII), *E. Biémont* **48,** 1 (1991)
Collision Strengths and Transition Rates for O III, *A. K. Bhatia* and *S. O. Kastner* **54,** 133 (1993)
Lifetimes of Levels of Neutral and Singly Ionized Lanthanide Atoms, *K. B. Blagoev* and *V. A. Komarovskii* **56,** 1 (1994)
Transition Probabilities and Photoionization of Neutral Atomic Oxygen, *V. Escalante,* and *G. A. Victor* **56,** 213 (1994)
Atomic Transition Probabilities and Lifetimes for the Cu I System, *K. Fu, M. Jogwich, M. Knebel,* and *K. Wiesemann* **61,** 1 (1995)

Attenuation (*10*)

See *Photon Cross Sections* (*77*)

Auger Electrons (*11*)

See also *Inner-Shell Ionization* (*50*)
Satellites (*88a*)

Nonrelativistic *K*-Shell Auger Rates and Matrix Elements for $4 \leqslant A \leqslant 54$, *D. L. Walters* and *C. P. Bhalla* AD **3,** 301 (1971)
Auger Catalog: Calculated Transition Energies Listed by Energy and Element, *W. A. Coghlan* and *R. E. Clausing* AD **5,** 317 (1973)
Directory to Auger Electron Data—1973 AD **5,** 471 (1973)
Calculated *K* Auger-Electron and *K* X-Ray Transition Energies for the Multiply Ionized Neon Atom, *D. L. Matthews, B. M. Johnson,* and *C. F. Moore* **15,** 41 (1975)
Theoretical *L*-Shell Coster–Kronig Energies $11 \leqslant Z \leqslant 103$, *M. H. Chen, B. Crasemann, K.-N. Huang, M. Aoyagi,* and *H. Mark* **19,** 97 (1977)
Semiempirical Auger-Electron Energies for Elements $10 \leqslant Z \leqslant 100$, *F. P. Larkins* **20,** 311 (1979)
Erratum **23,** 587 (1979)
Relativistic Radiationless Transition Probabilities for Atomic *K*- and *L*-Shells, *M. H. Chen, B. Crasemann,* and *H. Mark* **24,** 13 (1979)
Auger and Coster–Kronig Radial Matrix Elements for Atomic Numbers $6 \leqslant Z \leqslant 92$, *M. H. Chen, F. P. Larkins,* and *B. Crasemann* **45,** 1 (1990)
Auger Spectroscopy for Molecules: Tables of Matrix Elements for Transition-Rate Calculations Corresponding to an *s*-, *p*-, or *d*-Type Initial Hole, *E. Z. Chelkowska* and *F. P. Larkins* **49,** 121 (1991)

Autoionizing States (*11a*)

See also *Satellites* (*88a*)

Resonance Parameters and Properties of Beryllium-like Doubly Excited States: $4 \leqslant Z \leqslant 10$, *H. Bachau, P. Galan, F. Martín, A. Riera,* and *M. Yáñez* **44,** 305 (1990)
Resonance Parameters and Properties of Helium-Like Doubly Excited States: $2 \leqslant Z \leqslant 10$, *H. Bachau, F. Martín, A. Riera,* and *M. Yáñez* **48,** 167 (1991)

B(E2) and B(E3) Data (*12*)

See also *Nuclear Transition Probabilities* (*75*)

Nuclear Transition Probability $B(E2)$, for $0^+_{\text{g.s.}} \rightarrow 2^+_{\text{first}}$ Transitions and Deformation Parameter, β_2, *P. H. Stelson* and *L. Grodzins* NDT **A1,** 21 (1965)
Transition Strengths $B(E2)$ in the Yrast Bands of Doubly Even Nuclei, *Ts. Venkova* and *W. Adrejtscheff* **26,** 93 (1981)
Transition Probability, $B(E2)\uparrow$, from the Ground to the First-Excited 2^+ State of Even–Even Nuclides, *S. Raman, C. H. Malarkey, W. T. Milner, C. W. Nestor, Jr.,* and *P. H. Stelson* **36,** 1 (1987)
Predictions of $B(E2;\ 0^+_1 \rightarrow 2^+_1)$ Values for Even–Even Nuclei, *S. Raman, C. W. Nestor, Jr., S. Kahane,* and *K. H. Bhatt* **42,** 1 (1989)
Reduced Electric-Octupole Transition Probabilities, $B(E3;\ 0^+_1 \rightarrow 3^-_1)$, for Even–Even Nuclides throughout the Periodic Table, *R. H. Spear* **42,** 55 (1989)

Beryllium Wavefunction (*13*)

Accurate Wavefunction of Atomic Beryllium, *C. F. Bunge* **18,** 293 (1976)

Beta Decay (*14*)

Fermi-Function Integrals for Finding Relative Beta-Group Intensities, *G. P. Ford* and *D. C. Hoffmann* NDT **A1,** 411 (1966)
Shapes of Beta Spectra, *H. Paul* NDT **A2,** 281 (1966)
Log-*f* Tables for Beta Decay, *N. B. Gove* and *M. J. Martin* NDT **A10,** 205 (1971)

Beta-Decay Half-Lives Calculated on the Gross Theory, *K. Takahashi, M. Yamada,* and *T. Kondoh* **12,** 101 (1973)

Superallowed $0^+ \rightarrow 0^+$ and Isospin-Forbidden $J^\pi \rightarrow J^\pi$ Fermi Transitions, *S. Raman, T. A. Walkiewicz,* and *H. Behrens* **16,** 451 (1975)

Mixed Fermi and Gamow-Teller β-Transitions and Isoscalar Magnetic Moments, *S. Raman, C. A. Houser, T. A. Walkiewicz,* and *I. S. Towner* **21,** 567 (1978)
Erratum **22,** 369 (1978)

Beta-Decay Half-Lives of Neutron-Rich Nuclei, *H. V. Klapdor, J. Metzinger,* and *T. Oda* **31,** 81 (1984)

Experimental and Theoretical Gamow–Teller Beta-Decay Observables for the *sd*-Shell Nuclei, *B. A. Brown* and *B. H. Wildenthal* **33,** 347 (1985)

Beta-Decay Rates of Highly Ionized Heavy Atoms in Stellar Interiors, *K. Takahashi* and *K. Yokoi* **36,** 375 (1987)

Allowed Spin-Flip Beta Decays in Medium-Heavy ($147 \leqslant A \leqslant 190$) Nuclei, *P. C. Sood* and *R. K. Sheline* **43,** 259 (1989)

Second-Generation Microscopic Predictions of Beta-Decay Half-Lives of Neutron-Rich Nuclei, *A. Staudt, E. Bender, K. Muto,* and *H. V. Klapdor-Kleingrothaus* **44,** 79 (1990)

Microscopic Predictions of β^+/EC-Decay Half-Lives, *M. Hirsch, A. Staudt, K. Muto,* and *H. V. Klapdor-Kleingrothaus* **53,** 165 (1993)

Rate Tables for the Weak Processes of *sd*-Shell Nuclei in Stellar Matter, *T. Oda, M. Hino,* and *K. Muto* **56,** 231 (1994)

Tables of Double Beta Decay Data, *V. I. Tretyak* and *Yu. G. Zdesenko* **61,** 43 (1995)

Binding Energies, Atomic (*15*)

See also *Hartree (Dirac)–Fock Values* (*43*)
Hartree (Dirac)–Fock–Slater Values (*44*)
Ionization Energies or Potentials (*52*)
Lamb Shift (*54a*)

Neutral-Atom Electron Binding Energies from Relaxed-Orbital Relativistic Hartree–Fock–Slater Calculations, $2 \leqslant Z \leqslant 106$, *K.-N. Huang, M. Aoyagi, M. H. Chen, B. Crasemann,* and *H. Mark* **18,** 243 (1976)

Relativistic Dirac–Fock–Slater Orbital Binding Energies and One-Electron Transition Energies, Cu XVI–Cu XIX, Zn XVII–Zn XX, Ag XI–Ag XIX, and Sn XVIII–Sn XXIII, *K. Rashid* **21,** 77 (1978)

Atomic Electron Binding Energies, *K. D. Sevier* **24,** 323 (1979)

Core-Electron Binding Energies for Gaseous Atoms and Molecules, *W. L. Jolly, K. D. Bomben,* and *C. J. Eyermann* **31,** 433 (1984)

Quantum Defect Values for Positive Atomic Ions, *C. E. Theodosiou, M. Inokuti,* and *S. T. Manson* **35,** 473 (1986)

Resource Note: Theoretical Atomic-Electron Binding Energies, *B. Crasemann, K. R. Karim,* and *M. H. Chen* **36,** 355 (1987)

Binding Energies, Nuclear (*16*)

See *Masses and Mass Differences* (*56*)

Bremsstrahlung (*17*)

See also *Electromagnetic Cascades* (*28*)
Synchrotron Radiation (*95a*)

Energy Loss, Range, and Bremsstrahlung Yield for 10-keV to 100-MeV Electrons in Various Elements and Chemical Compounds, *L. Pages, E. Bertel, H. Joffre,* and *L. Sklavenitis* AD **4,** 1 (1972)

Bremsstrahlung Energy Spectra from Electrons of Kinetic Energy 1 keV $\leqslant T_1 \leqslant$ 2000 keV Incident on Neutral Atoms $2 \leqslant Z \leqslant 92$, *R. H. Pratt, H. K. Tseng, C. M. Lee, L. Kissell, C. MacCallum,* and *M. Riley* **20,** 175 (1977)
Erratum **26,** 477 (1981)

LPM Bremsstrahlung and Pair Production Probabilities in Lead and Water, *T. Bowen, R. W. Ellsworth, T. Stanev, R. E. Streitmatter,* and *Ch. Vankov* **24,** 495 (1979)

Shape Functions for Atomic-Field Bremsstrahlung from Electrons of Kinetic Energy 1–500 keV on Selected Neutral Atoms $1 \leqslant Z \leqslant 92$, *L. Kissel, C. A. Quarles,* and *R. H. Pratt* **28,** 381 (1983)

Differential Bremsstrahlung Cross Sections for Collisions of Electrons with Unscreened Nuclei of Low Atomic Numbers, *K. Bernhardi, E. Haug,* and *K. Wiesemann* **28,** 461 (1983)

Bremsstrahlung Energy Spectra from Electrons with Kinetic Energy 1 keV–10 GeV Incident on Screened Nuclei and Orbital Electrons of Neutral Atoms with $Z = 1$–100, *S. M. Seltzer* and *M. J. Berger* **35,** 345 (1986)

Capture Gammas (*19*)

Compendium of Thermal-Neutron-Capture γ-Ray Measurements. Part I: $Z \leqslant 46$, *G. A. Bartholomew, A. Doveika, K. M. Eastwood, S. Monaro, L. V. Groshev, A. M. Demidov, V. I. Pelekhov,* and *L. L. Sokolovskii* NDT **A3,** 367 (1967)

Compendium of Thermal-Neutron-Capture γ-Ray Measurements. Part II: $Z = 47$ to $Z = 67$ (Ag to Ho), *L. V. Groshev, A. M. Demidov, V. I. Pelekhov, L. L. Sokolovskii, G. A. Bartholomew, A. Doveika, K. M. Eastwood,* and *S. Monaro* NDT **A5,** 1 (1968)

Compendium of Thermal-Neutron-Capture γ-Ray Measurements. Part III: $Z = 68$ to $Z = 94$ (Er to Pu), *L. V. Groshev, A. M. Demidov, V. I. Pelekhov, L. L. Sokolovskii, G. A. Bartholomew, A. Doveika, K. M. Eastwood,* and *S. Monaro* NDT **A5,** 243 (1969)

References for Neutron-Capture Conversion-Electron Measurements, *T. von Egidy* NDT **A7,** 465 (1970)

Compilation of keV-Neutron-Capture Gamma-Ray Spectra, *J. R. Bird, B. J. Allen, I. Bergqvist,* and *J. A. Biggerstaff* NDT **A11,** 433 (1973)

Prompt Gamma Rays from Thermal-Neutron Capture, *M. A. Lone, R. A. Leavitt,* and *D. A. Harrison* **26,** 511 (1981)

Charged-Particle Cross Sections and Reactions (*20*)

Nuclear Cross Sections for Charged-Particle-Induced Reactions: Li, Be, B, *H. J. Kim, W. T. Milner,* and *F. K. McGowan* NDT **A1,** 203 (1966)

Nuclear Cross Sections for Charged-Particle-Induced Reactions: C, *H. J. Kim, W. T. Milner,* and *F. K. McGowan* NDT **A2,** 1 (1966)

Deuteron Absorption Coefficients and Reaction Cross Sections Calculated with Optical Model Potentials, *M. A. Melkanoff, T. Sawada,* and *N. Cindro* NDT **A2,** 263 (1966)

Nuclear Cross Sections for Charged-Particle-Induced Reactions: N and O, *H. J. Kim, W. T. Milner,* and *F. K. McGowan* NDT **A3,** 123 (1967)

Reaction List for Charged-Particle-Induced Nuclear Reactions. Part A: $Z = 3$ to $Z = 27$ (Li to Co), *F. K. McGowan, W. T. Milner, H. J. Kim,* and *W. Hyatt* NDT **A6,** 353 (1969)

Reaction List for Charged-Particle-Induced Nuclear Reactions. Part B: $Z = 28$ to $Z = 99$ (Ni to Es), *F. K. McGowan, W. T. Milner, H. J. Kim,* and *W. Hyatt* NDT **A7,** 1 (1969)

Reaction List for Charged-Particle-Induced Nuclear Reactions. $Z = 1$ to $Z = 98$ (H to Cf), *F. K. McGowan* and *W. T. Milner* NDT **A8,** 199 (1970)

Reaction List for Charged-Particle-Induced Nuclear Reactions, *F. K. McGowan* and *W. T. Milner* NDT **A9,** 469 (1971)

Reaction List for Charged-Particle-Induced Nuclear Reactions, 1971–1972, *F. K. McGowan* and *W. T. Milner* NDT **A11,** 1 (1972)

Reaction List for Charged-Particle-Induced Nuclear Reactions, 1972–1973, *F. K. McGowan* and *W. T. Milner* **12,** 499 (1973)
Reaction List for Charged-Particle-Induced Nuclear Reactions, 1973–1974, *F. K. McGowan* and *W. T. Milner* **15,** 189 (1975)
Reaction List for Charged-Particle-Induced Nuclear Reactions, $Z = 1$ to $Z = 98$ (H to Cf), October 1974–January 1976, *F. K. McGowan* and *W. T. Milner* **18,** 1 (1976)
Differential Cross Sections for Ejection of Electrons from Helium by Protons, *M. E. Rudd, L. H. Toburen,* and *N. Stolterfoht* **18,** 413 (1976)
Differential Cross Sections for Ejection of Electrons from Argon by Protons, *M. E. Rudd, L. H. Toburen,* and *N. Stolterfoht* **23,** 405 (1979)
Excitation Functions for A $\geqslant$ 6 Fragments Formed in ^{1}H- and ^{4}He-Induced Reactions on Light Nuclei, *S. M. Read* and *V. E. Viola, Jr.* **31,** 359 (1984)
Tables of Reaction and Total Cross Sections for Proton-Nucleus Scattering below 1 GeV, *W. Bauhoff* **35,** 429 (1986)
Proton Excitation Rate Coefficients and Cross Sections among the Fine-Structure Levels of the $(2s2p)^3P$ State in Be-like Ions, *J. G. Doyle* **37,** 441 (1987)
Cross Sections and Excitation Rate Coefficients for the $2s^22p^5\ ^2P_{3/2}$–$2s^22p^5\ ^2P_{1/2}$ Transition in Fluorine-like ions by *p, d, t,* and α Impact, *V. J. Foster, F. P. Keenan,* and *R. H. G. Reid* **58,** 227 (1994)

Charge States of Ions (*21*)

See also *Electron Capture and Loss* (*28a*)

Charge States of 15–140 MeV Bromine Ions and 15–162 MeV Iodine Ions in Solid and Gaseous Media, *S. Datz, C. D. Moak, H. O. Lutz, L. C. Northcliffe,* and *L. B. Bridwell* AD **2,** 273 (1971)
Equilibrium-Charge-State Distributions of Energetic Ions ($Z > 2$) in Gaseous and Solid Media, *A. B. Wittkower* and *H. D. Betz* AD **5,** 113 (1973)
Equilibrium Charge State Distributions of Ions ($Z_1 \geqslant 4$) after Passage through Foils: Compilation of Data after 1972, *K. Shima, T. Mikumo,* and *H. Tawara* **34,** 357 (1986)
Equilibrium Charge Fractions of Ions of $Z = 4$–92 Emerging from a Carbon Foil, *K. Shima, N. Kuno, M. Yamanouchi,* and *H. Tawara* **51,** 173 (1992)

Compton Profiles (*22*)

See also *Velocity Parameters* (*99*)

Hartree–Fock Compton Profiles for the Elements, *F. Biggs, L. B. Mendelsohn,* and *J. B. Mann* **16,** 201 (1975)
Hartree–Fock Momentum Expectation Values for Atoms and Ions, *S. R. Gadre, S. P. Gejji,* and *S. J. Chakravorty* **28,** 477 (1983)
Momentum-Space Properties of the Neutral Atoms from H through U, *W. M. Westgate, R. P. Sagar, A. Farazdel, V. H. Smith, Jr., A. M. Simas,* and *A. J. Thakkar* **48,** 213 (1991)
Orbital and Total Atomic Momentum Expectation Values with Roothaan–Hartree–Fock Wave Functions, *J. M. García de la Vega* and *B. Miguel* **54,** 1 (1993)
Roothaan–Hartree–Fock Momentum Expectation Values for Heavy Elements ($Z = 55$–92), *J. M. García de la Vega* and *B. Miguel* **58,** 307 (1994)
Roothaan–Hartree–Fock–Slater Momentum Expectation Values for U–Lr Atoms, *J. M. Garcia de la Vega* and *B. Miguel* **60,** 321 (1995)

Coster–Kronig Transitions (*23*)

See *Auger Electrons* (*11*)

Cross Sections (*24*)

See *Charged-Particle Cross Sections and Reactions* (*20*)
Electron Capture and Loss (*28a*)
Electron Collision Cross Sections (*29*)
Electron Momentum Transfer (*30*)
Electron Production of Secondary Electrons (*31*)
Electron Scattering (*32*)
Heavy Ion Collisions (*46*)
Inner-Shell Ionization (*50*)
Neutron Cross Sections, Scattering Lengths (*64*)
Neutron Producing Reactions (*65*)
Photon Cross Sections (*77*)
Photon-Producing Reactions (*77a*)
Thermonuclear Data (*96*)

Delayed Emission (*25*)

Delayed-Neutron Precursors, *P. del Marmol* NDT **A6,** 141 (1969)
Delayed Proton and Alpha Precursors, *J. C. Hardy* NDT **A11,** 327 (1973)
Delayed Neutron Precursors, *L. Tomlinson* **12,** 179 (1973)
Prediction of Average β and γ Energies and Probabilities of β-Delayed Neutron Emission in the Region of Fission Products, *M. Hirsch, A. Staudt,* and *H. V. Klapdor-Kleingrothaus* **51,** 243 (1992)
Delayed-Neutron Branching Ratios of Precursors in the Fission Product Region, *G. Rudstam, K. Aleklett,* and *L. Sihver* **53,** 1 (1993)

Dielectronic Satellites (*25a*)

See also *Satellites* (*88a*)

Z-Scaled Data for Dielectronic Recombination from O-like to F-like Ions, *A. Dasgupta* and *K. G. Whitney* **58,** 77 (1994)

Dirac–Fock (*26*)

See *Hartree (Dirac)–Fock Values* (*43*)
Hartree (Dirac)–Fock–Slater Values (*44*)

d-Shell (*27*)

Matrix Elements of Atomic Interaction Operators for d^n Configurations, *J. A. Barnes, B. L. Carroll, L. M. Flores,* and *R. M. Hedges* AD **2,** 1 (1970)
Magnetic Interactions in Transition Metal Ions. Part I: Electronic Configurations d^2, d^3, and d^4, *W.-K. Li* AD **2,** 45 (1970) Erratum AD **3,** 300 (1971)
Magnetic Interactions in Transition Metal Ions. Part II: Bivalent Cations of the First Transition Series, *W.-K. Li* AD **2,** 57 (1970)
Configuration Interaction Matrix Elements for d^n Configurations, *J. A. Barnes, B. L. Carroll,* and *L. M. Flores* AD **2,** 101 (1971)
Reduced Matrix Elements of $V^{(12)}$, $V^{(13)}$, and $V^{(14)}$ for d^n Configurations, *W.-K. Li* AD **2,** 263 (1971)
A Bibliography of *d*-Shell Computational Tools and Calculations, *W.-K. Li* AD **3,** 363 (1971)
Coefficients for Expressing the Nonrelativistic Energy of the Configuration d^Nd with Nonorthogonal Radial Orbitals, *K. V. Sabas, J. J. Vizbaraite,* and *A. P. Jucys* **16,** 179 (1975) Erratum **16,** 580 (1975)
Coulomb Energy Matrices for Electron Configurations pd^N in a Ligand Field of Cubic Symmetry, *I. G. Main, G. A. Robins, S. Sugano, T. Yamaguchi, C. Satoko, S. Asada, Y. Miwa,* and *S. Shibuya* **24,** 191 (1979)

E0 and E2 Transitions (*27a*)

See also *B(E2) and B(E3) Data* (*12*)
Nuclear Transitions Probabilities (*75*)

Internal Conversion Tables. Part III: Coefficients for the Analysis of Penetration Effects in Internal Conversion and $E0$ Internal Conversion, *R. S. Hager* and *E. C. Seltzer* NDT **A6,** 1 (1969)

$E0$ Transitions in Atomic Nuclei, *A. V. Aldushchenkov* and *N. A. Voinova* NDT **A11,** 299 (1973)

$E2$ Transition Probabilities between Nilsson States in Odd-A Nuclei, *D. K. Krpić, I. M. Savić,* and *I. V. Aničin* **18,** 509 (1976)

Electromagnetic Cascades (*28*)

Longitudinal Development of Electromagnetic Cascades in Lead, Iron, Copper, and Air Initiated by 100- and 10-GeV Electrons and Photons, *D. Adler, B. Fuchs,* and *K. O. Thielheim* **20,** 513 (1977)

Energy-Deposition Distributions in Materials Irradiated by Plane-Parallel Electron Beams with Energies between 0.1 and 100 MeV, *T. Tabata, P. Andreo,* and *R. Ito* **56,** 105 (1994)

Electron Capture and Loss (*28a*)

See also *Charge States of Ions* (*21*)

Electron-Capture and Loss Cross Sections for Fast, Heavy Particles Passing through Gases, *H. H. Lo* and *W. L. Fite* AD **1,** 305 (1970)

Experimental Stripping Cross Sections for Atoms and Ions in Gases, 1950–1970, *R. C. Dehmel, H. K. Chau,* and *H. H. Fleischmann* AD **5,** 231 (1973)

Cross Sections for Charge Transfer of Hydrogen Beams in Gases and Vapors in the Energy Range 10 eV–10 keV, *H. Tawara* **22,** 491 (1978)

Cross Sections for Electron Capture and Loss by Positive Ions in Collisions with Atomic and Molecular Hydrogen, *H. Tawara, T. Kato,* and *Y. Nakai* **32,** 235 (1985)

Electron Detachment Atomic Cross Sections from Negative Ions, *F. Rahman* and *B. Hird* **35,** 123 (1986)

Cross Sections for Charge Transfer of Hydrogen Atoms and Ions Colliding with Gaseous Atoms and Molecules, *Y. Nakai, T. Shirai, T. Tabata,* and *R. Ito* **37,** 69 (1987)

Cross Sections for Electron Capture by Neutral and Charged Particles in Collisions with He, *W. K. Wu, B. A. Huber,* and *K. Wiesemann* **40,** 57 (1988)

Recommended Cross Sections for Electron Capture and Ionization in Collisions of C^{q+} and O^{q+} Ions with H, He, and H_2, *R. K. Janev, R. A. Phaneuf,* and *H. T. Hunter* **40,** 249 (1988)

Cross Sections for Electron Capture by Neutral and Charged Particles in Collisions with He, *W. K. Wu, B. A. Huber,* and *K. Wiesemann* **42,** 157 (1989)

Cross Sections for Resonant Charge Transfer between Atoms and Their Positive Ions: Collision Velocity $\leqslant$ 1 a.u., *S. Sakabe* and *Y. Izawa* **49,** 257 (1991)

Cross Sections for Electron Capture from Atomic Hydrogen by Fully Stripped Ions, *D. Belkić, R. Gayet,* and *A. Salin* **51,** 59 (1992)

Cross Sections for Electron Capture in Relativistic Atomic Collisions, *A. Ichihara, T. Shirai,* and *J. Eichler* **55,** 63 (1993)

Recommended Cross Sections for State-Selective Electron Capture in Collisions of C^{6+} and O^{8+} Ions with Atomic Hydrogen, *R. K. Janev, R. A. Phaneuf, H. Tawara,* and *T. Shirai* **55,** 201 (1993)

Electron Collision Cross Sections (*29*)

See also *Electron Momentum Transfer* (*30*)
Electron Scattering (*32*)
Isoelectronic Sequences (*53a*)

Low-Energy Electron-Collision Cross-Section Data, *L. J. Kieffer* AD **1,** 19 (1969)
Erratum AD **1,** 359 (1970)

Low-Energy Electron-Collision Cross-Section Data. Part II: Electronic-Excitation Cross Sections, *L. J. Kieffer* AD **1,** 121 (1969)
Erratum and Addenda AD **2,** 393 (1971)

Calculated Electron Excitation Cross Sections for the Alkalis, *T. J. Greene* and *W. Williamson, Jr.* **14,** 161 (1974)

Intermediate-Coupling Collision Strengths for P-P and P-D Transitions Produced by Electron Impact on Highly Charged He-like Ions, *R. E. H. Clark* and *D. H. Sampson* **22,** 527 (1978)

Intermediate Coupling Collision Strengths for $\Delta n = 0$ Transitions Produced by Electron Impact on Highly Charged He- and Be-like Ions, *S. J. Goett, R. E. H. Clark,* and *D. H. Sampson* **25,** 185 (1980)
Erratum **27,** 617 (1982)

Electron-Impact-Excitation Collision Strengths for Be-like Ions. I. Low-Energy Regions, *K. A. Berrington, P. G. Burke, P. L. Dufton,* and *A. E. Kingston* **26,** 1 (1981)
Erratum **33,** 345 (1985)

Generalized Oscillator Strengths for X–B Transitions in the Hydrogen Molecule, *W. Kołos, H. J. Monkhorst,* and *K. Szalewicz* **28,** 239 (1983)

Intermediate-Coupling Collision Strengths for Transitions between Doubly Excited Levels Produced by Electron Impact on Highly Charged He-like Ions, *S. J. Goett, D. H. Sampson,* and *R. E. H. Clark* **28,** 279 (1983)

Electron-Impact Collision Strengths for Inner-Shell Excitation of Doubly Excited Levels from Singly Excited Levels in He-like Ions, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **28,** 299 (1983)

Excitation Collision Strengths for Iron Ions Calculated with a Distorted Wave Method, *J. B. Mann* **29,** 407 (1983)

Electron-Impact Collision Strengths for Excitation of He-like Ions from the Levels with $n = 1$ and 2 to All Singly Excited Levels with Higher $n \leqslant 5$, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **29,** 467 (1983)

Collision Strengths for Inner-Shell Excitation of Li-like Ions from Levels of the $1s^22s$ and $1s^22p$ Configurations to Levels of the $1s2l2l'$ Configurations, *S. J. Goett* and *D. H. Sampson* **29,** 535 (1983)

Collision Strengths and Line Strengths for Fine-Structure Transitions between the $2l_a2l_b$ Configurations and the $2l'_a3l'_b$ Configurations in Be-like Ions, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **30,** 125 (1984)

Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, *Y. Itikawa, K. Takayanagi,* and *T. Iwai* **31,** 215 (1984)

Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^22s$ and $1s^22p$ Levels to the $1s2l3l'$ Levels, *D. H. Sampson, S. J. Goett, G. V. Petrou, H. Zhang,* and *R. E. H. Clark* **32,** 343 (1985)

Collision Strengths for Innershell Excitation of Li-Like Ions from the $1s^23l$ Levels to the $1s^2l'3l''$ Levels, *D. H. Sampson, G. V. Petrou, S. J. Goett,* and *R. E. H. Clark* **32,** 403 (1985)

Electron-Impact Cross Sections and Rate Coefficients for Excitations of Carbon and Oxygen Ions, *Y. Itikawa, S. Hara, T. Kato, S. Nakazaki, M. S. Pindzola,* and *D. H. Crandall* **33,** 149 (1985)

Electron-Impact-Excitation Collision Strengths for Be-Like Ions. II. Intermediate-Energy Region and Collision Rates, *K. A. Berrington, P. G. Burke, P.L. Dufton,* and *A. E. Kingston* **33,** 195 (1985)

Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s^22s^22p$, $1s^22s2p^2$, and $1s^22p^3$ Configurations of Boron-like Ions, *D. H. Sampson, G. M. Weaver, S. J. Goett, H. Zhang,* and *R. E. H. Clark* **35,** 223 (1986)

Collision Strengths and Line Strengths for All Transitions among the

Levels of the $1s2l2l'$ Configurations of Li-like Ions, *H. Zhang, D. H. Sampson,* and *R. E. H. Clark* **35,** 267 (1986)

Total and Partial Ionization Cross Sections of Atoms and Ions by Electron Impact, *H. Tawara* and *T. Kato* **36,** 167 (1987)

Collision Strengths and Oscillator Strengths for Excitation to the $n = 3$ and 4 Levels of Neon-like Ions, *H. Zhang, D. H. Sampson, R. E. H. Clark,* and *J. B. Mann* **37,** 17 (1987)

Relativistic Distorted-Wave Calculations of Electron Collision Cross Sections and Rate Coefficients for Ne-like Ions, *P. L. Hagelstein* and *R. K. Jung* **37,** 121 (1987)

Collision Strengths and Oscillator Strengths for Inner-Shell Excitation of Na-like Ions, *H. L. Zhang, D. H. Sampson, R. E. H. Clark,* and *J. B. Mann* **41,** 1 (1989)

Contributions of Autoionizing Resonances to the $n = 2-2$ Electron Collisional Excitation Rates for Be-like Ions, *M. H. Chen* and *B. Crasemann* **41,** 59 (1989)

Recommended Data for Excitation Rate Coefficients of Helium Atoms and Helium-like Ions by Electron Impact, *T. Kato* and *S. Nakazaki* **42,** 313 (1989)

Relativistic Distorted Wave Collision Strengths for Excitation to the 88 $n = 3$ and $n = 4$ Levels in All 71 Neon-like Ions with $22 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **43,** 1 (1989)

A Slater Parameter Optimization Method Applied to the Computation of Collision Strengths for Fe XIII, *B. C. Fawcett* and *H. E. Mason* **43,** 245 (1989)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 85 Li-like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **44,** 31 (1990)

Intensity Ratios of Emission Lines for O V Ions for Temperature and Density Diagnostics, and Recommended Excitation Rate Coefficients, *T. Kato, J. Lang,* and *K. A. Berrington* **44,** 133 (1990)

Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 71 Na-like Ions with $22 \leqslant Z \leqslant 92$, *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **44,** 209 (1990)

Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Cu-like Ions with $60 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **44,** 273 (1990)

Cross Sections for *K*-Shell Ionization by Electron Impact, *X. Long, M. Liu, F. Ho,* and *X. Peng* **45,** 353 (1990)

Collision Strengths and Oscillator Strengths for Fe IX, *B. C. Fawcett* and *H. E. Mason* **47,** 17 (1991)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for F-Like Ions with $22 \leqslant Z \leqslant 92$, *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **48,** 25 (1991)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 33 Ni-Like Ions with $60 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **48,** 91 (1991)

Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1983–1989, *Y. Itikawa* **49,** 209 (1991)

Calculated Electron Excitation Cross Sections for Excited State–Excited State Transitions in Alkali Atoms, *U. Krishnan* and *B. Stumpf* **51,** 151 (1992)

Atomic Data and Spectral Line Intensities for Ne-Like Fe XVII, *A. K. Bhatia* and *G. A. Doschek* **52,** 1 (1992)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 45 $\Delta n = 0$ Transitions with $n = 2$ in the 85 Be-Like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **52,** 143 (1992)

An Evaluated Compilation of Theoretical Data Sources for Electron-Impact Excitation of Atomic Ions, *A. K. Pradhan* and *J. W. Gallagher* **52,** 227 (1992)

Atomic Data and Spectral Line Intensities for C-like Ca XV, *A. K. Bhatia* and *G. A. Doschek* **53,** 195 (1993)

Collision Strengths and Transition Rates of O III, *A. K. Bhatia* and *S. O. Kastner* **54,** 133 (1993)

Collision Strengths from a 29-State R-Matrix Calculation on Electron Excitation in Helium, *P. M. J. Sawey* and *K. A. Berrington* **55,** 81 (1993)

Atomic Data and Spectral Line Intensities for C-Like Si IX, *A. K. Bhatia* and *G. A. Doschek* **55,** 281 (1993)

Atomic Data and Spectral Line Intensities for C-Like Ne V, *A. K. Bhatia* and *G. A. Doschek* **55,** 315 (1993)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 105 $\Delta n = 0$ Transitions with $n = 2$ in the 85 B-like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **56,** 41 (1994)

The Atomic Data Assessment Meeting, Abingdon, March 1992, *J. Lang* **57,** 1 (1994)

Effective Collision Strengths for Hydrogen and Hydrogen-like Ions, *J. Callaway* **57,** 9 (1994)

A Review of Effective Collision Strengths for He-like Ions, *J. Dubau* **57,** 21 (1994)

An Assessment of Collision Strengths for Lithium and Lithium-like Ions, *R. W. P. McWhirter* **57,** 39 (1994)

A Review of Electron Impact Excitation Data for the Beryllium Isoelectronic Sequence (Z = 4 to 28), *K. A. Berrington* **57,** 71 (1994)

A Review of Available Collision Strength Data for the Boron Isoelectronic Sequence (Z = 5 to 28), *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **57,** 97 (1994)

Electron Impact Excitation of Carbon-like Ions: An Assessment of the Available Theoretical Data, *B. C. Monsignori Fossi* and *M. Landini* **57,** 125 (1994)

Electron Impact Excitation of Nitrogen and Nitrogen-like Ions: A Review of Available Data and Recommendations, *T. Kato* **57,** 181 (1994)

A Review of Electron Impact Collisional Excitation Data for the Oxygen-like Isoelectronic Sequence, *J. Lang* and *H. P. Summers* **57,** 215 (1994)

Electron Impact Excitation of Fluorine-like Ions, *A. K. Bhatia* **57,** 253 (1994)

Effective Collision Strengths for Si II–Si IV and S II–S IV, *P. L. Dufton* and *A. E. Kingston* **57,** 273 (1994)

Electron Impact Excitation Data for Fe I–Fe VIII: A Review, *A. K. Pradhan* **57,** 297 (1994)

An Assessment of Theoretical Electron Excitation Data for Fe IX–Fe XIV, *H. E. Mason* **57,** 305 (1994)

A Review of Electron Impact Excitation of Fe XV–Fe XVII, *N. R. Badnell* and *D. L. Moores* **57,** 329 (1994)

Radiative and Collisional Atomic Data for Neon-like Ions, *M. Cornille, J. Dubau,* and *S. Jacquemot* **58,** 1 (1994)

Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2-n = 3$ Transitions in B-like Ions, *H. L. Zhang* and *D. H. Sampson* **58,** 255 (1994)

Atomic Data and Spectral Line Intensities for Fe X, *A. K. Bhatia* and *G. A. Doschek* **60,** 97 (1995)

Atomic Data and Spectral Line Intensities for C-like Mg VII, *A. K. Bhatia* and *G. A. Doschek* **60,** 145 (1995)

Electron–Ion Collisional Ionization Cross Sections for the H and He Isoelectronic Sequences, *D. Fang, W. Hu, C. Chen, Y. Wang, F. Lu, J. Tang,* and *F. Yang* **61,** 91 (1995)

Electron Impact Excitation Rates for Transitions Involving the $n = 2$ and $n = 3$ Levels of Beryllium-like Ne VII, *C. A. Ramsbottom, K. A. Berrington,* and *K. L. Bell* **61,** 105 (1995)

Electron Momentum Transfer (*30*)

Momentum-Transfer Cross Sections for Electron Collisions with Atoms and Molecules, *Y. Itikawa* **14, 1** (1974)

Momentum-Transfer Cross Sections for Electron Collisions with Atoms and Molecules, Revision and Supplement, 1977, *Y. Itikawa* **21,** 69 (1978)

Electron Production of Secondary Electrons (*31*)

Tables of Secondary-Electron-Production Cross Sections, *C. B. Opal, E. C. Beaty,* and *W. K. Peterson* AD **4,** 209 (1972)

Electron Scattering (*32*)

See also *Nuclear Charge and Moment Distributions* (*67*)

Theoretical Electron Scattering Amplitudes and Spin Polarizations. Selected Targets, Electron Energies 100 to 1500 eV, *M. Fink* and *A. C. Yates* AD **1,** 385 (1970)

Low-Energy Electron-Collision Cross-Section Data. Part III: Total Scattering: Differential Elastic Scattering, *L. J. Kieffer* AD **2,** 293 (1971)

The Radiative Correction for Elastic Electron- and Positron-Nucleus Scattering, *H. Breuer* NDT **A9,** 169 (1971)

Theoretical Electron Scattering Amplitudes and Spin Polarizations. Electron Energies 100 to 1500 eV, *M. Fink* and *J. Ingram* AD **4,** 129 (1972)

Theoretical Electron Scattering Amplitudes and Spin Polarizations. Electron Energies 100–1500 eV, *D. Gregory* and *M. Fink* **14,** 39 (1974)

Theoretical Electron-Atom Elastic Scattering Cross Sections: Selected Elements, 1 keV to 256 keV, *M. E. Riley, C. J. MacCallum,* and *F. Biggs* **15,** 443 (1975)
Erratum **28,** 379 (1983)

Rational Function Fits to the Nonresonant Elastic Differential Cross Sections (DCS) for e + He Collisions, 0°–180°, 0.1 to 1000 eV, *L. Boesten* and *H. Tanaka* **52,** 25 (1992)

Simplified Model of Electron Scattering on Atomic Hydrogen, *I. Bray and A. T. Stelbovics* **58,** 67 (1994)

f-Shell (*32a*)

Reduced Matrix Elements of Two-Electron Double-Vector Operators for f^4 and f^5, *H. Crosswhite* and *B. R. Judd* AD **1,** 329 (1970)

Fission (*34*)

Correlation of Fission Fragment Kinetic Energy Data, *V. E. Viola, Jr.* NDT **A1,** 391 (1966)

Properties of Fission Isomers, *H. C. Britt* **12,** 407 (1973)

Fission-Product Yields from Neutron-Induced Fission, *E. A. C. Crouch* **19,** 417 (1977)

Calculated Fission Barriers, Ground-State Masses, and Particle Separation Energies for Nuclei with $76 \leqslant Z \leqslant 100$ and $140 \leqslant N \leqslant 184$, *W. M. Howard* and *P. Möller* **25,** 219 (1980)

Calculated Half-Lives and Kinetic Energies for Spontaneous Emission of Heavy Ions from Nuclei, *D. N. Poenaru, W. Greiner, K. Depta, M. Ivascu, D. Mazilu,* and *A. Sandulescu* **34,** 423 (1986)

Nuclear-Charge Distribution and Delayed-Neutron Yields for Thermal-Neutron-Induced Fission of ^{235}U, ^{233}U, and ^{239}Pu and for Spontaneous Fission of ^{252}Cf, *A. C. Wahl* **39,** 1 (1988)

Beta and Gamma Spectra of Short-Lived Fission Products, *G. Rudstam, P. I. Johansson, O. Tengblad, P. Aagaard,* and *J. Eriksen* **45,** 239 (1990)

Nuclear Lifetimes for Cluster Radioactivities, *D. N. Poenaru, D. Schnabel, W. Greiner, D. Mazilu,* and *R. Gherghescu* **48,** 231 (1991)

Prediction of Average β and γ Energies and Probabilities of β-Delayed Neutron Emission in the Region of Fission Products, *M. Hirsch, A. Staudt,* and *H. V. Klapdor-Kleingrothaus* **51,** 243 (1992)

Fission-Product Gammas and Half-Lives (*35*)

Gamma-Ray and Half-Life Data for the Fission Products, *J. Blachot* and *C. Fiche* **20,** 241 (1977)

Form Factors (*35a*)

Form Factors of the 1*s*, 2*s*, 3*s*, and 4*s* States of Hydrogen-like Atoms for Discrete Transitions, *L. G. Afanasyev* **61,** 31 (1995)

Fractional Parentage and Factorization (*36*)

Tables of Fractional Parentage Coefficients in the Isospin Formalism for the $j = 3/2$ and 5/2 Shells, *I. S. Towner* and *J. C. Hardy* NDT **A6,** 153 (1969)
Erratum NDT **A10,** 319 (1971)

One-Particle, j–j Coefficients of Fractional Parentage in the Isospin Representation for $n \leqslant 5$ in the $j = 7/2$ Shell, *L. B. Hubbard* NDT **A9,** 85 (1971)

Factorization of the $j = 7/2$ Shell of Neutrons and Protons: Transformation Coefficients to States of Good Particle Number, *W. Kaminski, S. Szpikowski,* and *K. T. Hecht* **16,** 311 (1975)

Fundamental Constants (*37*)

The 1973 Table of the Fundamental Physical Constants, *E. R. Cohen* **18,** 587 (1976)

Gamma-Ray Conversion (*38*)

See *Internal-Conversion Coefficients* (*51*)

Gamma-Ray Energies (*39*)

See also *Capture Gammas* (*19*)
Fission-Product Gammas and Half Lives (*35*)

Gamma-Ray Calibration Energies, *J. B. Marion* NDT **A4,** 301 (1968)

Catalogue of γ-Rays Emitted by Radionuclides, *M. A. Wakat* NDT **A8,** 445 (1971)

Tables for Reaction Gamma-Ray Spectroscopy: Part I. $A = 6$ to $A = 20$, *R. J. de Meijer, H. S. Plendl, and R. Holub* **13,** 1 (1974)
Erratum **14,** 89 (1974)

Radioactive-Decay Gammas. Ordered by Energy and Nuclide, *W. W. Bowman* and *K. W. MacMurdo* **13,** 89 (1974)

Gamma Rays from Fusion-Evaporation Reactions in $32 \leqslant A \leqslant 46$ Nuclei, *E. K. Warburton, J. J. Kolata, J. W. Olness, A. R. Poletti,* and *Ph. Gorodetzky* **14,** 147 (1974)

Tables for Reaction Gamma-Ray Spectroscopy: Part II. $A = 21$ to $A = 32$, *R. J. de Meijer, A. G. Drentje,* and *H. S. Plendl* **15,** 391 (1975)

Tables for Reaction Gamma-Ray Spectroscopy: Part III. $A = 33$ to $A = 44$, *R. J. de Meijer,* and *A. G. Drentje* **17,** 211 (1976)

Recommended Standards for Gamma-Ray Energy Calibration (1979), *R. G. Helmer, P. H. M. van Assche,* and *C. van der Leun* **24,** 39 (1979)

Catalog of Gamma Rays from Radioactive Decay, Part I, *U. Reus* and *W. Westmeier* **29,** 1 (1983)

Catalog of Gamma Rays from Radioactive Decay, Part II, *U. Reus* and *W. Westmeier* **29,** 193 (1983)

Gamma-Ray Transition Probabilities (*40*)

See *Nuclear Transition Probabilities* (*75*)

Half-Lives (*41*)

See also *Alpha Decay* (*3*)
Atomic Transition Probabilities and Lifetimes (*9*)
Beta Decay (*14*)
Fission-Product Gammas and Half-Lives (*35*)
Nuclear Transition Probabilities (*75*)

Specific Activities and Half-Lives of Common Radionuclides, *G. Goldstein* and *S. A. Reynolds* NDT **A1,** 435 (1966)

Isomeric States ($T_{1/2} \geqslant 10^{-10}$ s) Listed According to Increasing Half-Life, *J. Kantele* and *O. Tannila* NDT **A4,** 359 (1968)

A Table of Radioactive Nuclides Arranged in Ascending Order of Half-Life, *N. R. Large* and *R. J. Bullock* NDT **A7,** 477 (1970)

Beta-Decay Half-Lives of Neutron-Rich Nuclei, *H. V. Klapdor, J. Metzinger,* and *T. Oda* **31,** 81 (1984)

Calculated Half-Lives and Kinetic Energies for Spontaneous Emission of Heavy Ions from Nuclei, *D. N. Poenaru, W. Greiner, K. Depta, M. Ivascu, D. Mazilu,* and *A. Sandulescu* **34,** 423 (1986)

Second-Generation Microscopic Predictions of Beta-Decay Half-Lives of Neutron-Rich Nuclei, *A. Staudt, E. Bender, K. Muto,* and *H. V. Klapdor-Kleingrothaus* **44,** 79 (1990)

Nuclear Lifetimes for Cluster Radioactivities, *D. N. Poenaru, D. Schnabel, W. Greiner, D. Mazilu,* and *R. Gherghescu* **48,** 231 (1991)

Microscopic Predictions of β^+/EC-Decay Half-Lives, *M. Hirsch, A. Staudt, K. Muto,* and *H. V. Klapdor-Kleingrothaus* **53,** 165 (1993)

Half-Lives of Favored Alpha Decays from Nuclear Ground States, *B. Buck, A. C. Merchant,* and *S. M. Perez* **54,** 53 (1993)

Harmonic Oscillator (*42*)

Harmonic-Oscillator-Relative-Coordinate Transformation Coefficients, *A. Barber* and *B. S. Cooper* NDT **A10,** 49 (1971)

Hartree (Dirac)–Fock Values (*43*)

Hartree–Fock Values of Energies, Interaction Constants, and Atomic Properties for the Ground States of the Negative Ions, Neutral Atoms, and First Four Positive Ions from Helium to Krypton, *S. Fraga, K. M. S. Saxena,* and *B. W. N. Lo* AD **3,** 323 (1971)

Hartree–Fock Values of Energies, Interaction Constants, and Atomic Properties for Excited States with p^N Configurations of the Negative Ions, Neutral Atoms, and First Positive Ions from Boron to Bromine, *S. Fraga* and *K. M. S. Saxena* AD **4,** 255 (1972)

Hartree–Fock Values of Energies, Interaction Constants, and Atomic Properties for Excited States with $3d^N4s^0$ and $3d^N4s^2$ Configurations of the Negative Ions, Neutral Atoms, and First Four Positive Ions of the Transition Elements, *S. Fraga* and *K. M. S. Saxena* AD **4,** 269 (1972)

Average-Energy-of-Configuration Hartree–Fock Result for the Atoms Helium to Radon, *C. Froese Fischer* AD **4,** 301 (1972)
Erratum **12,** 87 (1973)

Self-Consistent Relativistic Dirac–Hartree–Fock Calculations of Lanthanide Atoms, *J. B. Mann* and *J. T. Waber* AD **5,** 201 (1973)

SCF Hartree–Fock Results for Elements with Two Open Shells and for the Elements Francium to Nobelium, *J. B. Mann* **12,** 1 (1973)

Relativistic Dirac–Fock Expectation Values for Atoms with $Z = 1$ to $Z = 120$, *J. P. Desclaux* **12,** 311 (1973)

Hartree–Fock Values of Coupling Constants, Polarizabilities, Susceptibilities, and Radii for the Neutral Atoms, Helium to Nobelium, *S. Fraga, J. Karwowski,* and *K. M. S. Saxena* **12,** 467 (1973)

Electron Densities at the Nuclear Center and Surface for ''Mössbauer'' Atoms, *I. M. Band* and *V. I. Fomichev* **23,** 295 (1979)

Hartree–Fock Values of Some Atomic Integrals Useful in Simplified LCAO-MO Calculations for Molecules. I. Atoms B, C, N, O, F, *J. Wasilewski* **23,** 535 (1979)

Electron-Wave-Function Expansion Amplitudes Near the Origin Calculated in the Dirac–Fock–Slater and Dirac–Fock Potentials, *I. M. Band* and *M. B. Trzhaskovskaya* **35,** 1 (1986)

Dirac–Fock Total Energies, Ionization Energies and Orbital Energies for Uranium Ions U I to U XCII, *K. Rashid, M. Z. Saadi,* and *M. Yasin* **40,** 365 (1988)

Hartree (Dirac)–Fock–Slater Values (*44*)

Relativistic Hartree–Fock–Slater Eigenvalues, Radial Expectation Values, and Potentials for Atoms, $2 \leqslant Z \leqslant 126$, *C. C. Lu, T. A. Carlson, F. B. Malik, T. C. Tucker,* and *C. W. Nestor, Jr.* AD **3,** 1 (1971)
Erratum **14,** 89 (1974)

Neutral-Atom Electron Binding Energies from Relaxed-Orbital Relativistic Hartree–Fock–Slater Calculations, $2 \leqslant Z \leqslant 106$, *K.-N. Huang, M. Aoyagi, M. H. Chen, B. Crasemann,* and *H. Mark* **18,** 243 (1976)

Dirac–Fock–Slater Calculations for the Elements $Z = 100$, Fermium, to $Z = 173$, *B. Fricke* and *G. Soff* **19,** 83 (1977)

Relativistic Dirac–Fock–Slater Orbital Binding Energies and One-Electron Transition Energies: Cu XVI–XIX, Zn XVII–Zn XX, Ag XI–Ag XIX, and Sn XVIII–Sn XXIII, *K. Rashid* **21,** 77 (1978)

Theoretical Atomic Inner-Shell Energy Levels, $70 \leqslant Z \leqslant 106$, *M. H. Chen, B. Crasemann, M. Aoyagi, K.-N. Huang,* and *H. Mark* **26,** 561 (1981)

Electron-Wave-Function Expansion Amplitudes near the Origin Calculated in the Dirac–Fock–Slater and Dirac–Fock Potentials, *I. M. Band* and *M. B. Trzhaskovskaya* **35,** 1 (1986)

Hartree–Fock–Roothaan Values (*45*)

Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules, *P. E. Cade* and *W. Huo* **12,** 415 (1973)

Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules: II. First-Row Homonuclear Systems A_2, $A_2^{\pm}$ and A_2^*, *P. E. Cade* and *A. C. Wahl* **13,** 339 (1974)

Roothaan–Hartree–Fock Atomic Wavefunctions: Basis Functions and Their Coefficients for Ground and Certain Excited States of Neutral and Ionized Atoms, $Z \leqslant 54$, *E. Clementi* and *C. Roetti* **14,** 177 (1974)

Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules: III. First-Row Heteronuclear Systems, AB, $AB^{\pm}$, AB*, *P. E. Cade* and *W. M. Huo* **15,** 1 (1975)

Non-Closed-Shell Many-Electron-Theory Atomic Charge Wavefunctions: Correlated Wavefunctions for $1s^22s^n2p^m$ Electronic States of Beryllium through Neon and Silicon, *W. L. Luken* and *O. Sinanoğlu* **18,** 525 (1976)

Roothaan–Hartree–Fock Atomic Wavefunctions. Slater Basis Set Expansions for $A = 55$–92, *A. D. McLean* and *R. S. McLean* **26,** 197 (1981)

Roothaan–Hartree–Fock–Slater Atomic Wave Functions, Single-Zeta, Double-Zeta, and Extended Slater-Type Basis Sets for $_{87}$Fr–$_{103}$Lr, *J. G. Snijders, P. Vernooijs,* and *E. J. Baerends* **26,** 483 (1981)

Hartree–Fock Momentum Expectation Values for Atoms and Ions, *S. R. Gadre, S. P. Geijji,* and *S. J. Chakravorty* **28,** 477 (1983)

Hyperfine Coupling Constants and Atomic Parameters for Electron Paramagnetic Resonance Data, *A. K. Koh* and *D. J. Miller* **33,** 235 (1985)

Momentum-Space Properties of the Neutral Atoms from H through U, *W. M. Westgate, R. P. Sagar, A. Farazdel, V. H. Smith, Jr., A. M. Simas,* and *A. J. Thakkar* **48,** 213 (1991)

Roothaan–Hartree–Fock Ground-State Atomic Wave Functions: Slater-Type Orbital Expansions and Expectation Values for $Z = 2$–54, *C. F. Bunge, J. A. Barrientos,* and *A. V. Bunge* **53,** 113 (1993)

Orbital and Total Atomic Momentum Expectation Values with Roothaan–Hartree–Fock Wave Functions, *J. M. García de la Vega* and *B. Miguel* **54,** 1 (1993)

Roothaan–Hartree–Fock Momentum Expectation Values for Heavy Elements ($Z = 55$–92), *J. M. García de la Vega* and *B. Miguel* **58,** 307 (1994)

Roothaan–Hartree–Fock–Slater Momentum Expectation Values for U–Lr Atoms, *J. M. Garcia de la Vega* and *B. Miguel* **60,** 321 (1995)

Heavy-Ion Collisions (*46*)

See also *Inner-Shell Ionization* (*50*)

Peak Cross Sections for (HI, *xn*) Reactions, *W. Neubert* NDT **A11,** 531 (1973)

Reaction Parameters for Heavy-Ion Collisions, *W. W. Wilcke, J. R. Birkelund, H. J. Wollersheim, A. D. Hoover, J. R. Huizenga, W. U. Schröder,* and *L. E. Tubbs* **25,** 389 (1980)

Heavy-Ion Fusion Cross-Section Data for Systems with Compound Atomic Mass between 18 and 80, *Q. Haider* and *F. B. Malik* **31,** 185 (1984)

Excitation Functions for A $\geqslant$ 6 Fragments Formed in ^{1}H- and ^{4}He-Induced Reactions on Light Nuclei, *S. M. Read* and *V. E. Viola, Jr.* **31,** 359 (1984)

Rate Estimates for Vector–Meson and Drell–Yan Pair Production in Relativistic Heavy-Ion Collisions, *R. Vogt* **50,** 343 (1992)

Hydrogen Molecule (*47*)

Photodissociation of Vibrationally Excited H_2, HD, and D_2 by Absorption into the Continua of the Lyman and Werner Systems, *A. C. Allison* and *A. Dalgarno* AD **1,** 91 (1969)

Band Oscillator Strengths and Transition Probabilities for the Lyman and Werner Systems of H_2, HD, and D_2, *A. C. Allison* and *A. Dalgarno* AD **1,** 289 (1970)

Potential-Energy Curves for Molecular Hydrogen and Its Ions, *T. E. Sharp* AD **2,** 119 (1971)
Erratum AD **3,** 299 (1971)

Eigenparameters for the Lowest Twenty Electronic States of the Hydrogen Molecule Ion, *M. M. Madsen* and *J. M. Peek* AD **2,** 171 (1971)

Dipole Strengths Involving the Lowest Twenty Electronic States of H_2^+, *D. E. Ramaker* and *J. M. Peek* AD **5,** 167 (1973)

Rayleigh and Raman Cross Sections for the Hydrogen Molecule, *A. L. Ford* and *J. C. Browne* AD **5,** 305 (1973)

Rotation-Vibration Level Energies of the Hydrogen and Deuterium Molecule-Ions, *G. Hunter, A. W. Yau,* and *H. O. Pritchard* **14,** 11 (1974)

Adiabatic Relativistic Rotation-Vibration Energy Levels for HD^+, HT^+, and DT^+, *D. M. Bishop* **18,** 521 (1976)

Cross Sections for the Photoionization of H_2 ($X^1\Sigma_g^+$, $v_i = 0-14$) with the Formation of H_2^+ ($X^2\Sigma_g^+$, $v_f = 0-18$), and Vibrational Overlaps and R^n-Centroids for the Associated Vibrational Transitions, *M. R. Flannery, H. Tai,* and *D. L. Albritton* **20,** 563 (1977)

Generalized Oscillator Strengths for *X*-B Transitions in the Hydrogen Molecule, *W. Kołos, H. J. Monkhorst,* and *K. Szalewicz* **28,** 239 (1983)

The Quadrupole Vibration-Rotation Transition Probabilities of the Molecular Hydrogen Ion, *A. G. Posen, A. Dalgarno,* and *J. M. Peek* **28,** 265 (1983)

Band Transition Moments Between Excited Singlet States of the H_2 Molecule, Nonadiabatic Eigenvectors, and Probabilities for Spontaneous Emission, *M. Glass-Maujean, P. Quadrelli,* and *K. Dressler* **30,** 273 (1984)

Transition Probabilities for the *D* and *B′* Vibrational Levels to the *X* Vibrational Levels and Continuum of H_2, *M. Glass-Maujean* **30,** 301 (1984)

The Rydberg Electronic Transitions of the Hydrogen Molecule, *J. F. Babb* and *E. S. Chang* **50,** 137 (1992)

Hyperfine Fields (*48*)

Dilute-Impurity Hyperfine Fields in Fe, Co, Ni, and Gd, *G. N. Rao* **15,** 553 (1975)

Hyperfine Interactions (*48a*)

See also *Angular-Correlation or Angular-Distribution Coefficients* (*5*)
Hartree (Dirac)–Fock Values (*43*)
Hartree (Dirac)–Fock–Slater Values (*44*)
Hartree–Fock–Roothaan Values (*45*)

Nuclear Level Splitting Caused by an Axially Non-Symmetric Electric Quadrupole Interaction: $1 \leqslant I \leqslant 40$, *H. Watanabe* **46,** 285 (1990)

Hyperfine Quenching of the $1s^22s^22p^63s3p\ ^3P_0$ Level in Magnesium-Like Ions, *J. P. Marques, F. Parente,* and *P. Indelicato* **55,** 157 (1993)

Infrared (*49*)

Infrared Wavelengths and Transition Probabilities for Atoms, $3 \leqslant Z \leqslant 20$, *E. Biemont* and *N. Grevesse* **12,** 217 (1973)

Inner-Shell Ionization (*50*)

See also *Ionization Energies or Potentials* (*52*)

Tables for Born Approximation Calculations of *K*- and *L*-Shell Ionization by Protons and Other Charged Particles, *G. S. Khandelwal, B.-H. Choi,* and *E. Merzbacher* AD **1,** 103 (1969)
Erratum AD **5,** 315 (1973)

Tables for Born Approximation Calculations of *L*-Subshell Ionization by Simple Heavy Charged Particles, *B.-H. Choi, E. Merzbacher,* and *G. S. Khandelwal* AD **5,** 291 (1973)

Cross Sections for *K*-Shell Ionization by ^{1}H, ^{2}H, ^{3}He, and ^{4}He Ion Impact, *C. H. Rutledge* and *R. L. Watson* **12,** 195 (1973)

Predictions of Multiple *K*- and *L*-Shell Ionization by Alpha-Particle Impact on Atoms with $Z = 10-100$, *J. H. McGuire* **13,** 491 (1974)

Predictions of Inner-Shell Coulomb Ionization by Heavy Charged Particles, *J. M. Hansteen, O. M. Johnsen* and *L. Kocbach* **15,** 305 (1975)

Cross Sections for *L*-Shell X-Ray and Auger-Electron Production by Heavy Ions, *T. L. Hardt* and *R. L. Watson* **17,** 107 (1976)

Extended Tables for Plane-Wave Born-Approximation Calculations of Direct Coulomb Ionization of the *K*-shell by Charged Particles, *R. Rice, G. Basbas,* and *F. D. McDaniel* **20,** 503 (1977)

Cross Sections for *K*-Shell Ionization, X-Ray Production, or Auger Electron Production by Ion Impact, *R. K. Gardner* and *T. J. Gray* **21,** 515 (1978)
Erratum **24,** 281 (1979)

Tables for Plane-Wave Born-Approximation Calculations of *K*- and *L*-Shell Ionization by Protons *O. Benka* and *A. Kropf* **22,** 219 (1978)

Nonrelativistic Plane-Wave Born-Approximation Calculations of Direct Coulomb *M*-Subshell Ionization by Charged Particles, *D. E. Johnson, G. Basbas,* and *F. D. McDaniel* **24,** 1 (1979)

K-Shell Ionization by Light Ions: A Graphical Comparison of Cross Sections, *H. Paul* **24,** 243 (1979)

Experimental *L*-Shell X-Ray Production and Ionization Cross Sections for Proton Impact, *R. S. Sokhi* and *D. Crumpton* **30,** 49 (1984)

Relativistic Cross Sections for Atomic *K*- and *L*-Shell Ionization by Protons, Calculated from a Dirac-Hartree-Slater Model, *M. H. Chen* and *B. Crasemann* **33,** 217 (1985)

K- and *L*-Shell Ionization Cross Sections for Protons and Helium Ions Calculated in the ECPSSR Theory, *D. D. Cohen* and *M. Harrigan* **33,** 255 (1985)

Calculated *L*-Shell X-Ray Line Intensities for Proton and Helium Ion Impact, *D. D. Cohen* and *M. Harrigan* **34,** 393 (1986)

Atomic *K*-, *L*-, and *M*-Shell Cross Section for Ionization by Protons: A Relativistic Hartree-Slater Calculation, *M. H. Chen* and *B. Crasemann* **41,** 257 (1989)

K- and *L*-Shell Ionization Cross Sections for Deuterons Calculated in the ECPSSR Theory, *D. D. Cohen* **41,** 287 (1989)
Fitted Empirical Reference Cross Sections for *K*-Shell Ionization by Protons, *H. Paul* and *J. Sacher* **42,** 105 (1989)
Cross Sections for *K*-Shell Ionization by Electron Impact, *X. Long, M. Liu, F. Ho,* and *X. Peng* **45,** 353 (1990)
Fitted Empirical Reference Cross Sections for *K*-Shell Ionization by Alpha Particles, *H. Paul* and *O. Bolik* **54,** 75 (1993)
Experimental *L*-Shell X-Ray Production and Ionization Cross Sections for Proton Impact, *I. Orlic, C. H. Sow,* and *S. M. Tang* **56,** 159 (1994)

Internal-Conversion Coefficients (*51*)
Experimental Values of Internal-Conversion Coefficients of Nuclear Transitions: Total and *K*-Shell Coefficients and *L*-Subshell Coefficient Ratios, *J. H. Hamilton, A. V. Ramayya, B. van Nooijen, R. G. Albridge, E. F. Zganjar, S. C. Pancholi, J. M. Hollander, V. S. Shirley,* and *C. M. Lederer* NDT **A1,** 521 (1966)
Internal Conversion Coefficients at Gamma-Ray Threshold Energies, *R. F. O'Connell* and *C. O. Carroll* NDT **A3,** 287 (1967)
Erratum NDT **A4,** 320 (1968)
Internal Conversion Tables. Part I. *K*-, *L*-, and *M*-Shell Conversion Coefficients for $Z = 30$ to $Z = 103$, *R. S. Hager* and *E. C. Seltzer* NDT **A4,** 1 (1968)
Internal Conversion Tables. Part II. Directional and Polarization Particle Parameters for $Z = 30$ to $Z = 103$, *R. S. Hager* and *E. C. Seltzer* NDT **A4,** 397 (1968)
Internal Conversion Tables. Part III. Coefficients for the Analysis of Penetration Effects in Internal Conversion and *E*0 Internal Conversion, *R. S. Hager* and *E. C. Seltzer* NDT **A6,** 1 (1969)
Tables of Internal Conversion Coefficients for *N*-Subshell Electrons, *O. Dragoun, H. C. Pauli,* and *F. Schmutzler* NDT **A6,** 235 (1969)
Contribution of Outer Atomic Shells to Total Internal Conversion Coefficients, *O. Dragoun, Z. Plajner,* and *F. Schmutzler* NDT **A9,** 119 (1971)
Internal Conversion Coefficients for High-Energy Transitions, *V. F. Trusov* NDT **A10,** 477 (1972)
Contribution of $(M + N + \cdots)$ Shells to Total Internal Conversion Coefficients for Transition Energies above 500 keV, *O. Dragoun* and *V. Brabec* **15,** 49 (1975)
Internal Conversion Coefficients for Atomic Numbers $Z \leqslant 30$, *I. M. Band, M. B. Trzhaskovskaya,* and *M. A. Listengarten* **18,** 433 (1976)
Internal Conversion Coefficients for *E*5 and *M*5 Nuclear Transitions, $30 \leqslant Z \leqslant 104$, *I. M. Band, M. B. Trzhaskovskaya,* and *M. A. Listengarten* **21,** 1 (1978)
Internal Conversion Coefficients for All Atomic Shells, *F. Rösel, H. M. Fries, K. Alder,* and *H. C. Pauli* **21,** 91 (1978)
The Internal Conversion Coefficients of the 2^+-0^+, *E*2 Nuclear Transitions in Even-Even Nuclei, *M. Mladjenović, M. Župančić,* and *R. Vukanović* **22,** 109 (1978)
Total and Differential Conversion Coefficients for Internal Electron-Positron Pair Creation, *P. Schlüter* and *G. Soff* **24,** 509 (1979)
Internal Conversion Coefficients for Low-Energy Nuclear Transitions, *I. M. Band* and *M. B. Trzhaskovskaya* **55,** 43 (1993)

Ionization Energies or Potentials (*52*)
See also *Binding Energies, Atomic* (*15*)

Calculated Ionization Potentials for Multiply Charged Ions, *T. A. Carlson, C. W. Nestor, Jr., N. Wasserman,* and *J. D. McDowell* AD **2,** 63 (1970)
Relativistic Corrections to Ionization Energies and Theoretical Dipole Oscillator Strengths for Fe XVI, Co XVII, and Ni XVIII, *C. E. Tull, R. P. McEachran,* and *M. Cohen* AD **3,** 169 (1971)
Ionization Potentials, Experimental and Theoretical, of the Elements Hydrogen to Krypton, *R. L. Kelly* and *D. E. Harrison, Jr.* AD **3,** 177 (1971)
Ionization Potential of Fe XVII in the Neon Isoelectric Sequence, Revised Value, *R. L. Kelly* and *D. E. Harrison, Jr.* **19,** 301 (1977)
Dirac–Fock Total Energies, Ionization Energies and Orbital Energies for Uranium Ions U I to U XCII, *K. Rashid, M. Z. Saadi,* and *M. Yasin* **40,** 365 (1988)

Isobaric Analog States (*53*)
Penetration Factors and Resonance Mixing Phases for Isobaric Analog States, *W. J. Thompson* NDT **A6,** 129 (1969)
Experimental Coulomb Displacement Energies between Analog Energy Levels of Isobaric Nuclei with $A = 3$ to $A = 238$, *W. J. Courtney* and *J. D. Fox* **15,** 141 (1975)
Isobaric Mass Equation for $A = 1-45$ and Systematics of Coulomb Displacement Energies, *M. S. Antony, J. Britz, J. B. Bueb,* and *A. Pape* **33,** 447 (1985)
Predicted Masses and Excitation Energies in Higher Isospin Multiplets for $9 \leqslant A \leqslant 60$, *M. S. Antony, J. Britz,* and *A. Pape* **34,** 279 (1986)
Coulomb Displacement Energies between Analog Levels for $44 \leqslant A \leqslant 239$, *M. S. Antony, J. Britz,* and *A. Pape* **40,** 9 (1988)

Isoelectronic Sequences (Ordered by Shells) (*53a*)
See also *Atomic Levels* (*5a2*)
Atomic Spectra (*8*)
Electron Collision Cross Sections (*29*)
Polarizabilities (*80*)
Satellites (*88a*)
Screening Constants (*89*)

Ions from two or more shells
Transition Probabilities for the Alkali Isoelectronic Sequences, *A. Lindgård* and *S. E. Nielson* **19,** 533 (1977)
Intermediate Coupling Collision Strengths for $\Delta n = 0$ Transitions Produced by Electron Impact on Highly Charged He- and Be-like Ions, *S. J. Goett, R. E. H. Clark,* and *D. H. Sampson* **25,** 185 (1980)
Erratum **27,** 617 (1982)
Electric-Dipole, Quadrupole, and Magnetic-Dipole Susceptibilities and Shielding Factors for Closed-Shell Ions of the He, Ne, Ar, Ni(Cu^+), Kr, Pb, and Xe Isoelectronic Sequences, *W. R. Johnson, D. Kolb,* and *K.-N. Huang* **28,** 333 (1983)
Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, *Y. Itikawa, K. Takayanagi,* and *T. Iwai* **31,** 215 (1984)
Isoelectronic Sequence Fits to Configuration-Averaged Photoionization Cross Sections and Ionization Energies, *R. E. H. Clark, R. D. Cowan,* and *F. W. Bobrowicz* **34,** 415 (1986)
Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1983–1989, *Y. Itikawa* **49,** 209 (1991)
An Evaluated Compilation of Theoretical Data Sources for Electron-Impact Excitation of Atomic Ions, *A. K. Pradhan* and *J. W. Gallagher* **52,** 227 (1992)
The Atomic Data Assessment Meeting, Abingdon, March 1992, *J. Lang* **57,** 1 (1994)

H- and He-like Ions
Intermediate-Coupling Collision Strengths for *P-P* and *P-D* Transitions Produced by Electron Impact on Highly Charged He-like Ions, *R. E. H. Clark* and *D. H. Sampson* **22,** 527 (1978)
Transition Probabilities and Branching Ratios for Electric-Dipole Transitions between Arbitrary Levels of Hydrogen-like Atoms, *K. Omidvar* **28,** 1 (1983)

Transition Probabilities, Lifetimes, and Branching Ratios in Hydrogen-like Atoms in the Linear Stark Effect, *K. Omidvar* **28,** 215 (1983)

Intermediate-Coupling Collision Strengths for Transitions between Doubly Excited Levels Produced by Electron Impact on Highly Charged He-like Ions, *S. J. Goett, D. H. Sampson,* and *R. E. H. Clark* **28,** 279 (1983)

Electron-Impact Collision Strengths for Inner-Shell Excitation of Doubly Excited Levels from Singly Excited Levels in He-like Ions, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **28,** 299 (1983)

Electron-Impact Collision Strengths for Excitation of He-like Ions from the Levels with $n = 1$ and 2 to All Singly Excited Levels with Higher $n \leqslant 5$, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **29,** 467 (1983)

Recommended Data for Excitation Rate Coefficients of Helium Atoms and Helium-like Ions by Electron Impact, *T. Kato* and *S. Nakazaki* **42,** 313 (1989)

Effective Collision Strengths for Hydrogen and Hydrogen-like Ions, *J. Callaway* **57,** 9 (1994)

A Review of Effective Collision Strengths for He-like Ions, *J. Dubau* **57,** 21 (1994)

Electron–Ion Collisional Ionization Cross Sections for the H and He Isoelectronic Sequences, *D. Fang, W. Hu, C. Chen, Y. Wang, F. Lu, J. Tang,* and *F. Yang* **61,** 91 (1995)

Li- through F-like Ions

Wavelengths and Classifications of Emission Lines Due to $2s^22p^n$–$2s2p^{n+1}$ and $2s2p^n$–$2p^{n+1}$ Transitions, $Z \leqslant 28$, *B. C. Fawcett* **16,** 135 (1975)

Theoretical Oscillator Strengths for $2s^22p^n$–$2s2p^{n+1}$ and $2s2p^{n+1}$–$2p^{n+2}$ Transitions and for $2s^22p^n$ ''Forbidden'' Transitions. Be I, B I, C I, N I, O I Series. $Z \leqslant 26$, *B. C. Fawcett* **22,** 473 (1978)

Electric Dipole, Quadrupole, and Magnetic Dipole Transition Probabilities of Ions Isoelectronic to the First-Row Atoms, Li through F, *K. T. Cheng, Y.-K. Kim,* and *J. P. Desclaux* **24,** 111 (1979)

Relativistic Oscillator Strengths in the Boron Isoelectronic Sequence, *A. Farraq, E. Luc-Koenig,* and *J. Sinzelle* **24,** 227 (1979)

Electron-Impact-Excitation Collision Strengths for Be-like Ions. I. Low-Energy Regions, *K. A. Berrington, P. G. Burke, P. L. Dufton,* and *A. E. Kingston* **26,** 1 (1981)
Erratum **33,** 345 (1985)

Collision Strengths for Inner-Shell Excitation of Li-like Ions from Levels of the $1s^22s$ and $1s^22p$ Configurations to Levels of the $1s2l2l'$ Configurations, *S. J. Goett* and *D. H. Sampson* **29,** 535 (1983)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed $n = 2$–3 Transitions in Be-like Ions O V to Ni XXV, *B. C. Fawcett* **30,** 1 (1984)
Erratum **33,** 479 (1985)

Collision Strengths and Line Strengths for Fine-Structure Transitions between the $2l_al_b$ Configurations and the $2l'_a3l'_b$ Configurations in Be-like Ions, *D. H. Sampson, S. J. Goett,* and *R. E. H. Clark* **30,** 125 (1984)

Calculated Wavelengths and Oscillator Strengths for Be I, B II, C III, and N IV for $n = 2$–2, 2–3, 3–3, and Other Transitions, *B. C. Fawcett* **30,** 423 (1984)

Calculated Wavelengths, Oscillator Strengths and Energy Levels for $n = 2$–2 and 2–3 Transitions in F-like Ions Mg IV to Ni XX and for 3–3 and Other Transitions for Mg IV, Al V and Si VI, *B. C. Fawcett* **31,** 495 (1984)

Spectral Line Intensities for the O I, N I, C I, B I, and Be I Isoelectronic Sequences, $Z = 26$–36, *U. Feldman, J. F. Seely,* and *A. K. Bhatia* **32,** 305 (1985)

Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^22s$ and $1s^22p$ Levels to the $1s2l3l'$ Levels, *D. H. Sampson, S. J. Goett, G. V. Petrou, H. Zhang,* and *R. E. H. Clark* **32,** 343 (1985)

Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^23l$ Levels to the $1s2l'3l''$ Levels, *D. H. Sampson, G. V. Petrou, S. J. Goett,* and *R. E. H. Clark* **32,** 403 (1985)

Electron-Impact-Excitation Collision Strengths for Be-like Ions. II. Intermediate-Energy Region and Collision Rates, *K. A. Berrington, P. G. Burke, P. L. Dufton,* and *A. E. Kingston* **33,** 195 (1985)

Calculated Wavelengths and Oscillator Strengths of $n = 2$–2 and 2–3 Transitions for Ions in the Oxygen-like Isoelectronic Sequence between Mg V and Ni XXI, *B. C. Fawcett* **34,** 215 (1986)

Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s^22s^22p$, $1s^22s2p^2$, and $1s^22p^3$ Configurations of Boron-like Ions, *D. H. Sampson, G. M. Weaver, S. J. Goett, H. Zhang,* and *R. E. H. Clark* **35,** 223 (1986)

Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s2l2l'$ Configurations of Li-like Ions, *H. Zhang, D. H. Sampson,* and *R. E. H. Clark* **35,** 267 (1986)

Atomic Data and Spectral Line Intensities for the Boron Isoelectronic Sequence (Ar XIV through Kr XXXII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **35,** 319 (1986)

Atomic Data and Spectral Line Intensities for the Beryllium Isoelectronic Sequence (Ar XV through Kr XXXIII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **35,** 449 (1986)

Atomic Data and Spectral Line Intensities for the Carbon Isoelectronic Sequence (Ar XIII through Kr XXXI), *A. K. Bhatia, J. F. Seely,* and *U. Feldman* **36,** 453 (1987)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 2–2 and 2–3 Transitions for Ions in the C-like Isoelectronic Sequence between F IV and Ni XXIII, *B. C. Fawcett* **37,** 367 (1987)

Oscillator Strengths of Allowed Transitions for C I, N II, and O III, *B. C. Fawcett* **37,** 411 (1987)

Proton Excitation Rate Coefficients and Cross Sections among the Fine-Structure Levels of the $(2s2p)^3P$ State in Be-like Ions, *J. G. Doyle* **37,** 441 (1987)

Contributions of Autoionizing Resonances to the $n = 2$–2 Electron Collisional Excitation Rates for Be-like Ions, *M. H. Chen* and *B. Crasemann* **41,** 59 (1989)

Atomic Data and Spectral Line Intensities for the Nitrogen Isoelectronic Sequence (Ar XII through Kr XXX), *A. K. Bhatia, J. F. Seely,* and *U. Feldman* **43,** 99 (1989)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 85 Li-like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **44,** 31 (1990)

Spectral Line Intensities for the Carbon Isoelectronic Sequence (Kr XXXI through Xe IL), *J. F. Seely, U. Feldman, S. Rozzi, W. H. Goldstein,* and *M. Klapisch* **45,** 321 (1990)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for F-Like Ions with $22 \leqslant Z \leqslant 92$, *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **48,** 25 (1991)

Energy Levels, Wavelengths, and Radiative Transition Probabilities for the Li-Like Ions with $20 \leqslant Z \leqslant 25$, *Q.-R. Zhu, S.-F. Pan,* and *T.-H. Zeng* **52,** 109 (1992)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 45 $\Delta n = 0$ Transitions with $n = 2$ in the 85 Be-Like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **52,** 143 (1992)

Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 105 $\Delta n = 0$ Transitions with $n = 2$ in the 85

B-like Ions with $8 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **56,** 41 (1994)

An Assessment of Collision Strengths for Lithium and Lithium-like Ions, *R. W. P. McWhirter* **57,** 39 (1994)

A Review of Electron Impact Excitation Data for the Beryllium Isoelectronic Sequence ($Z = 4$ to 28), *K. A. Berrington* **57,** 71 (1994)

A Review of Available Collision Strength Data for the Boron Isoelectronic Sequence ($Z = 5$ to 28), *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **57,** 97 (1994)

Electron Impact Excitation of Carbon-like Ions: An Assessment of the Available Theoretical Data, *B. C. Monsignori Fossi* and *M. Landini* **57,** 125 (1994)

Electron Impact Excitation of Nitrogen and Nitrogen-like Ions: A Review of Available Data and Recommendations, *T. Kato* **57,** 181 (1994)

A Review of Electron Impact Collisional Excitation Data for the Oxygen-like Isoelectronic Sequence, *J. Lang* and *H. P. Summers* **57,** 215 (1994)

Electron Impact Excitation of Fluorine-like Ions, *A. K. Bhatia* **57,** 253 (1994)

Transitions in Fluorine-like Ions, *H. M. S. Blackford* and *A. Hibbert* **58,** 101 (1994)

Cross Sections and Excitation Rate Coefficients for the $2s^22p^5\ {}^2P_{3/2}-2s^22p^5\ {}^2P_{1/2}$ Transition in Fluorine-like Ions by *p, d, t,* and α Impact, *V. J. Foster, F. P. Keenan,* and *R. H. G. Reid* **58,** 227 (1994)

Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2-n = 3$ Transitions in B-like Ions, *H. L. Zhang* and *D. H. Sampson* **58,** 255 (1994)

Cross Sections and Rate Coefficients for Excitation of $\Delta n = 0$ Transitions in Be-like Ions with $6 \leqslant Z \leqslant 54$, *U. I. Safronova, A. S. Shlyaptseva, T. Kato, K. Masai,* and *L. A. Vainshtein* **60,** 1 (1995)

Ne-like Ions

Theoretical Transition Probabilities and Energy Levels in Ne I Isoelectronic Sequence, *M. Crance* AD **5,** 185 (1973)

Atomic Data and Spectral Line Intensities for the Neon Isoelectronic Sequence (Si V through Kr XXVII), *A. K. Bhatia, U. Feldman,* and *J. F. Seely* **32,** 435 (1985)

Energy Levels and Weighted Oscillator Strengths for Neon-like Ions K X through Se XXV, *E. Biémont* and *J. E. Hansen* **37,** 1 (1987)

Collision Strengths and Oscillator Strengths for Excitation to the $n = 3$ and 4 Levels of Neon-like Ions, *H. Zhang, D. H. Sampson, R. E. H. Clark,* and *J. B. Mann* **37,** 17 (1987)

Relativistic Distorted-Wave Calculations of Electron Collision Cross Sections and Rate Coefficients for Ne-like Ions, *P. L. Hagelstein* and *R. K. Jung* **37,** 121 (1987)

Relativistic Distorted Wave Collision Strengths for Excitation to the 88 $n = 3$ and $n = 4$ Levels in All 71 Neon-like Ions with $22 \leqslant Z \leqslant 92$, *H. L. Zhang* and *D. H. Sampson* **43,** 1 (1989)

Theoretical Investigation of the Neon Isoelectronic Sequence, *E. P. Ivanova* and *A. V. Gulov* **49,** 1 (1991)

Energies, Oscillator Strengths, and Lifetimes for Neon-like Ions up to Kr XXVII, *A. Hibbert, M. Le Dourneuf,* and *M. Mohan* **53,** 23 (1993)

Radiative and Collisional Atomic Data for Neon-like Ions, *M. Cornille, J. Dubau,* and *S. Jacquemot* **58,** 1 (1994)

Na- through Cl-like Ions

Atomic Ion Energies for Na-like Ions by a Model Potential Method, $Z = 25-80$, *L. N. Ivanov* and *E. P. Ivanova* **24,** 95 (1979)

Electric Dipole Transitions in Cl-like Ions, *M. Vajed-Samii* and *K. MacDonald* **26,** 467 (1981)

Electric-Dipole Transition Probabilities of Al-like Ions, *A. Farrag, E. Luc-Koenig,* and *J. Sinzelle* **27,** 539 (1982)

Energy-Level Scheme and Transition Probabilities of Cl-like Ions, *K.-N. Huang, Y.-K. Kim, K. T. Cheng,* and *J. P. Desclaux* **28,** 355 (1983)

Calculated Oscillator Strengths and Wavelengths for Allowed Transitions within the Third Shell for Ions in the Al-like Isoelectronic Sequence between Cl V and Ni XVI, *B. C. Fawcett* **28,** 557 (1983)

Calculated Oscillator Strengths and Wavelengths for Allowed Transitions within the Third Shell for Ions in the Mg-like Isoelectronic Sequence between S V and Ni XVII, *B. C. Fawcett* **28,** 579 (1983)

Energy-Level Scheme and Transition Probabilities of P-like Ions, *K.-N. Huang* **30,** 313 (1984)

Energy-Level Scheme and Transition Probabilities of Si-like Ions, *K.-N. Huang* **32,** 503 (1985)

Energy-Level Scheme and Transition Probabilities of Al-like Ions, *K.-N. Huang* **34,** 1 (1986)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 and 3–4 Transitions for Ions in the S-like Isoelectronic Sequence between S I and Ni XIII, *B. C. Fawcett* **35,** 185 (1986)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 and 3–4 Transitions for Ions in the P-like Isoelectronic Sequence between P I and Ni XIV, *B. C. Fawcett* **35,** 203 (1986)

Energy Levels of Mg-like Ions Calculated in the Model-Potential Relativistic Perturbation Theory: $Z = 25-84$, *E. P. Ivanova, L. N. Ivanov,* and *M. A. Tsirekidze* **35,** 419 (1986)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 Transitions for Ions in the Si-like Isoelectronic Sequence between Si I and Ni XV, *B. C. Fawcett* **36,** 129 (1987)

Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 Transitions for Ions in the Cl-like Isoelectronic Sequence between Ar II and Ni XII, *B. C. Fawcett* **36,** 151 (1987)

Rate Coefficients for Electron Impact Excitation of Magnesium-like Ions, *A. K. Pradhan* **40,** 335 (1988)

Collision Strengths and Oscillator Strengths for Inner-Shell Excitation of Na-like Ions, *H. L. Zhang, D. H. Sampson, R. E. H. Clark,* and *J. B. Mann* **41,** 1 (1989)

Energy Levels and Transition Probabilities in the Ground-State Configuration of Sulfur-like Ions, *E. B. Saloman* and *Y.-K. Kim* **41,** 339 (1989)

Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 71 Na-like Ions with $22 \leqslant Z \leqslant 92$, *D. H. Sampson, H. L. Zhang,* and *C. J. Fontes* **44,** 209 (1990)

Wavelengths and Energy Levels for the Na I Isoelectronic Sequence Y^{28+} through U^{81+}, *J. F. Seely, C. M. Brown, U. Feldman, J. O. Ekberg, C. J. Keane, B. J. MacGowan, D. R. Kania,* and *W. E. Behring* **47,** 1 (1991)

Electric Dipole, Electric Quadrupole, and Magnetic Dipole Transition Probabilities of Na-Like Ions, $56 \leqslant Z \leqslant 92$, *D. H. Baik, Y. G. Ohr, K. S. Kim, J. M Lee, P. Indelicato,* and *Y.-K. Kim* **47,** 177 (1991)

Energy Levels, Wavelengths, and Radiative Transition Probabilities for the Na-Like Ions with $38 \leqslant Z \leqslant 45$, *Y. Zhang, Q. Zhu,* and *S. Pan* **52,** 177 (1992)

K- through Kr-like Ions

Energy Levels, Wavelengths, and Transition Probabilities of Cu-like Ions, *K.-T. Cheng* and *Y.-K. Kim* **22,** 547 (1978)

Oscillator Strengths and Wavelengths for the Copper and Zinc

Isoelectronic Sequences; $Z = 29$ to 42, *G. A. Victor* and *W. R. Taylor* **28,** 107 (1983)
Energy Levels, Wavelengths, and Weighted Oscillator Strengths for $n = 3-4$ and 4–4 Transitions in Cu-like Ions (Sr X to Nd XXXII), *E. Biémont* **39,** 157 (1988)
Computed Oscillator Strengths and Energy Levels for Potassium-like Ions V V, Cr VI, Mn VII, Fe VIII, Co IX, Ni X, and Cu XI with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **43,** 71 (1989)
Wavelengths and Energy Levels for the Cu I Isoelectronic Sequence Ru^{15+} through U^{63+}, *J. F. Seely, C. M. Brown,* and *U. Feldman* **43,** 145 (1989)
Energy Levels, Wavelengths, Transition Probabilities, and Oscillator Strengths for $n = 4-4$ Transitions in Zinc-like Ions, *E. Biémont* **43,** 163 (1989)
Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Cu-like Ions with $60 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **44,** 273 (1990)
Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Ni-like Ions with $60 \leqslant Z \leqslant 92$, *H. L. Zhang, D. H. Sampson,* and *C. J. Fontes* **48,** 91 (1991)
Wavelengths and Energy Levels for the Zn I Isoelectronic Sequence Ga^{1+} through Xe^{24+}, *J. F. Seely* and *A. Bar-Shalom* **55,** 143 (1993)
Wavelengths and Energy Levels for the Zn I Isoelectronic Sequence Sn^{20+} through U^{62+}, *C. M. Brown, J. F. Seely, D. R. Kania, B. A. Hammel, C. A. Back, R. W. Lee, A. Bar-Shalom,* and *W. E. Behring* **58,** 203 (1994)

Isomer Shifts, Isotope Shifts (*54*)
See *Nuclear Radii* (*72*)

Lamb Shift (*54a*)
Energy Levels of Hydrogen-like Atoms Predicted by Quantum Electrodynamics, $10 \leqslant Z \leqslant 40$, *P. J. Mohr* **29,** 453 (1983)
The Lamb Shift in Hydrogen-Like Atoms, $1 \leqslant Z \leqslant 110$, *W. R. Johnson* and *G. Soff* **33,** 405 (1985)

Lifetimes (*55*)
See *Atomic Transition Probabilities and Lifetimes* (*9*)
Half-Lives (*41*)
Molecular Data (*61*)
Nuclear Transition Probabilities (*75*)

Masses and Mass Differences (*56*)
Two-Proton and Two-Neutron Binding-Energy Systematics and Alpha-Decay Energies, *A. H. Wapstra* NDT **A1,** 1 (1965)
Influence of Nuclear Structure on Binding Energy, *V. A. Kravtsov* and *N. N. Skachkov* NDT **A1,** 491 (1966)
Nuclear Reaction *Q*-Values, *C. Maples, G. W. Goth,* and *J. Cerny* NDT **A2,** 429 (1966)
Shell-Independent Systematics S_n (Isotonic) and S_p (Isotopic), *N. B. Gove* and *M. Yamada* NDT **A4,** 237 (1968)
The 1971 Atomic Mass Evaluation, *A. H. Wapstra* and *N. B. Gove* NDT **A9,** 265 (1971)
The 1971 Atomic Mass Evaluation: Part V. Nuclear-Reaction *Q*-Values, *N. B. Gove* and *A. H. Wapstra* NDT **A11,** 127 (1972)
Topographical Maps of the Nuclear Binding Energy Surface, *V. A. Kravtsov* and *N. N. Skachkov* **12,** 143 (1973)
A Mass Table for $50 \leqslant Z \leqslant 118$, $130 \leqslant A \leqslant 311$ Derived from Nuclear Energy Systematics, *V. E. Viola, Jr., J. A. Swant,* and *J. Graber* **13,** 35 (1974)
1975 Mass Predictions, Introduction, *S. Maripuu* and *K. Way* **17,** No. 5–6, i (1976)
Erratum **18,** 595 (1976)
1975 Mass Predictions: Development of the Semiempirical Droplet Model, *W. D. Myers* **17,** 411 (1976)
1975 Mass Predictions: A New Semiempirical Shell Correction to the Droplet Model, Gross Theory of Nuclear Magics, *H. von Groote, E. R. Hilf,* and *K. Takahashi* **17,** 418 (1976)
1975 Mass Predictions: A Semiempirical Liquid-Drop Plus Shell-Correction Formula, *P. A. Seeger* and *W. M. Howard* **17,** 428 (1976)
1975 Mass Predictions: A Semiempirical Shell-Model Formula, *S. Liran* and *N. Zeldes* **17,** 431 (1976)
1975 Mass Predictions: An *Ab-Initio* Shell-Model Formula, *M. Bauer* **17,** 442 (1976)
1975 Mass Predictions: Masses of Spherical Nuclei from the Energy-Density Method, *M. Beiner, R. J. Lombard,* and *D. Mas* **17,** 450 (1976)
1975 Mass Predictions: Updated Mass Predictions from the Garvey–Kelson Mass Relations, *J. Jänecke* **17,** 455 (1976)
1975 Mass Predictions: Ensemble Averaging of Mass Values, *E. Comay* and *I. Kelson* **17,** 463 (1976)
1975 Mass Predictions: Masses from Inhomogeneous Partial Difference Equations, *J. Jänecke* and *B. P. Eynon* **17,** 467 (1976)
1975 Mass Predictions: A 1975 Midstream Atomic Mass Evaluation, *A. H. Wapstra* and *K. Bos* **17,** 474 (1976)
Erratum **22,** 367 (1978)
The 1977 Atomic Mass Evaluation: Parts I through III, *A. H. Wapstra* and *K. Bos* **19,** 175 (1977)
The 1977 Atomic Mass Evaluation: Part IV, *A. H. Wapstra* and *K. Bos* **20,** 1 (1977)
Erratum **20,** 126 (1977)
Calculated Fission Barriers, Ground-State Masses, and Particle Separation Energies for Nuclei with $76 \leqslant Z \leqslant 100$ and $140 \leqslant N \leqslant 184$, *W. M. Howard* and *P. Möller* **25,** 219 (1980)
Atomic Masses and Nuclear Ground-State Deformations Calculated with a New Macroscopic–Microscopic Model, *P. Möller* and *J. R. Nix* **26,** 165 (1981)
An Overview of the 1986–1987 Atomic Mass Predictions, *P. E. Haustein* **39,** 185 (1988)
Masses of Proton-Rich $T_z < 0$ Nuclei via the Isobaric Mass Equation, *A. Pape* and *M. S. Antony* **39,** 201 (1988)
Mass Predictions Based on α-Line Systematics, *G. Dussel, E. Caurier,* and *A. P. Zuker* **39,** 205 (1988)
Nuclear Masses from a Unified Macroscopic–Microscopic Model, *P. Möller* and *J. R. Nix* **39,** 213 (1988)
Nuclear Mass Formula with a Finite-Range Droplet Model and a Folded-Yukawa Single-Particle Potential, *P. Möller, W. D. Myers, W. J. Swiatecki,* and *J. Treiner* **39,** 225 (1988)
Mass Predictions by Modified Ensemble Averaging, *E. Comay, I. Kelson,* and *A. Zidon* **39,** 235 (1988)
Masses of Atomic Nuclei in the Infinite Nuclear Matter Model, *L. Satpathy* and *R. C. Nayak* **39,** 241 (1988)
Empirical Mass Formula with Proton–Neutron Interaction, *T. Tachibana, M. Uno, M. Yamada,* and *S. Yamada* **39,** 251 (1988)
A Modified Bethe–Weizsäcker Mass Formula with Deformation and Shell Corrections and Few Free Parameters, *L. Spanier* and *S. A. E. Johansson* **39,** 259 (1988)
Mass Predictions from the Garvey–Kelson Mass Relations, *J. Jänecke* and *P. J. Masson* **39,** 265 (1988)
Masses from an Inhomogeneous Partial Difference Equation with Higher-Order Isospin Contributions, *P. J. Masson* and *J. Jänecke* **39,** 273 (1988)
Atomic Masses from (Mainly) Experimental Data, *A. H. Wapstra, G. Audi,* and *R. Hoekstra* **39,** 281 (1988)
Nuclear Ground-State Masses and Deformations, *P. Möller, J. R. Nix, W. D. Myers,* and *W. J. Swiatecki* **59,** 185 (1995)
Nuclear Mass Formula via an Approximation to the Hartree–Fock

Method, *Y. Aboussir, J. M. Pearson, A. K. Dutta,* and *F. Tondeur* **61,** 127 (1995)

M1 and M2 Transitions (*57*)

See also *Nuclear Transition Probabilities* (*75*)

Table of Electromagnetic *M*1 Reduced Transition-Probability Matrix Elements between Nilsson States in Odd-*A* Nuclei, *E. Browne* and *F. R. Femenia* NDT **A10,** 81 (1971)

Matrix Element for Penetration Factor in *M*1 Transitions between Nilsson States in Odd-*A* Nuclei, *D. K. Krpić, I. V. Aničin,* and *R. B. Vukanović* NDT **A11,** 553 (1973)

Radiation and Penetration Matrix Elements for Magnetic Quadrupole Transitions between Nilsson States in Odd Nuclei, *A. P. Feresin* and *I. S. Guseva* **31,** 153 (1984)

Many-Body Perturbation Calculations (*57a*)

Formulas from First-, Second-, and Third-Order Perturbation Theory for Atoms with One Valence Electron, *S. A. Blundell, D. S. Guo, W. R. Johnson,* and *J. Sapirstein* **37,** 103 (1987)

Expansion Coefficients of Scattering Parameters in Quantum Thermodynamic Perturbation Theory, *E. Buendía, R. Guardiola,* and *M. De Llano* **42,** 293 (1989)

Matrix Elements (*58*)

See also *d*-Shell (*27*)
E0 and E2 Transitions (*27a*)
f-Shell (*32a*)
M1 and M2 Transitions (*57*)
Many-Body Perturbation Calculations (*57a*)

Tables of Single-Particle Reduced Matrix Elements of Spherical Tensors, *W. K. Bell* and *G. R. Satchler* NDT **A9,** 147 (1971)

Expansion Coefficients of Many-Particle Matrix Elements of a Two-Body Interaction in Terms of Two-Particle Matrix Elements for $\{j^n\}$ Configurations of Like Nucleons, *I. M. Band* and *Yu. I. Kharitonov* NDT **A10,** 107 (1971)

Relativistic Matrix Elements of the Energy Operator in the Case of Complex Electronic Configurations, *Z. B. Rudzikas, V. I. Sivcev,* and *I. S. Kičkin* **18,** 205 (1976)

Matrix Elements of the Relativistic Electron-Transition Operators, *Z. B. Rudzikas, A. A. Slepcov,* and *I. S. Kičkin* **18,** 223 (1976)

Multipole Operators in Semileptonic Weak and Electromagnetic Interactions with Nuclei, *T. W. Donnelly* and *W. C. Haxton* **23,** 103 (1979)

Multipole Operators in Semileptonic Weak and Electromagnetic Interactions with Nuclei. II. General Single-Particle Matrix Elements, *T. W. Donnelly* and *W. C. Haxton* **25,** 1 (1980)

Single-Particle Glauber Matrix Elements, *E. Oset* and *D. Strottman* **28,** 531 (1983)

Mixing Ratios (*60*)

*E*2, *M*1 Multipole Mixing Ratios in Even-Even Nuclei, $A \geqslant 152$, *K. S. Krane* **16,** 383 (1975)

*E*2, *M*1 Multipole Mixing Ratios in Odd-Mass Nuclei, $A > 150$, *K. S. Krane* **18,** 137 (1976)

*E*2, *M*1 Multipole Mixing Ratios in Odd-Mass Nuclei, $59 \leqslant A \leqslant 149$, *K. S. Krane* **19,** 363 (1977)

*E*2, *M*1 Multipole Mixing Ratios in Even-Even Nuclei, $58 \leqslant A \leqslant 150$, *K. S. Krane* **20,** 211 (1977)

*E*2, *M*1 Multipole Mixing Ratios in Nuclei with $A \leqslant 57$, *K. S. Krane* **22,** 269 (1978)

*E*2, *M*1 Multipole Mixing Ratios, Supplement and Corrections through December 1979, *K. S. Krane* **25,** 29 (1980)

Molecular Data (*61*)

See also *Hartree–Fock–Roothaan Values* (*45*)
Hydrogen Molecule (*47*)
Reaction Rates (*87*)
Rotation, Rotation–Vibration (*88*)
Transport (*97*)

A Compilation of Measured Lifetimes of Gaseous Diatomic Molecules, *R. Anderson* AD **3,** 227 (1971)

Muonic (Mesic) Atoms (*62*)

See also *Nuclear Charge and Moment Distributions* (*67*)

Tables of Electron Screening and Higher-Order Vacuum Polarization Potentials in Mesic Atoms, *P. Vogel* **14,** 599 (1974)
Erratum **16,** 580 (1975)

Higher-Order Corrections to Level Energies of Muonic Atoms, *G. A. Rinker* and *R. M. Steffen* **20,** 143 (1977)

Asymmetry and Energy Spectrum of Electrons in Bound-Muon Decay, *R. Watanabe, K. Muto, T. Oda, T. Niwa, H. Ohtsubo, R. Morita,* and *M. Morita* **54,** 165 (1993)

Neutron Cross Sections, Scattering Lengths (*64*)

Experimental Excitation Functions for (n, p), (n, t), (n, α), $(n, 2n)$, (n, np), and $(n, n\alpha)$ Reactions, *P. Jessen, M. Bormann, F. Dreyer,* and *H. Neuert* NDT **A1,** 103 (1966)

Neutron Cross Sections of Hydrogen in the Energy Range 0.001 eV–20 MeV, *A. Horsley* NDT **A2,** 243 (1966)

S-Wave Neutron Strength Functions, *K. K. Seth* NDT **A2,** 299 (1966)

An Extended Table of Calculated $(n, 2n)$ Cross Sections, *S. Pearlstein* NDT **A3,** 327 (1967)

Neutron Cross Sections of Deuterium in the Energy Range 0.0001 eV to 20 MeV, *A. Horsley* NDT **A4,** 321 (1968)

The ^{1}H$(n, n)^1$H Scattering Observables Required for High-Precision Fast-Neutron Measurements, *J. C. Hopkins* and *G. Breit* NDT **A9,** 137 (1971)

Neutron Activation Cross Sections Measured and Semiempirical, *W. E. Alley* and *R. M. Lessler* NDT **A11,** 621 (1973)

An Evaluation of Neutron and Gamma-Ray-Production Cross-Section Data for Lead, *C. Y. Fu* and *F. G. Perey* **16,** 409 (1975)

Consistent Calculations of (n, x) and $(n, x\gamma)$ Cross Sections for ^{40}Ca, $E_n = 1$–20 MeV, *C. Y. Fu* **17,** 127 (1976)

Neutron Scattering Cross Sections of Carbon below 2 MeV Recommended from *R*-Matrix Fits to Data, *C. Y. Fu* and *F. G. Perey* **22,** 249 (1978)

Calculated Differential Secondary-Particle Production Cross Sections after Nonelastic Neutron Interactions with Carbon and Oxygen between 15 and 60 MeV, *D. J. Brenner* and *R. E. Prael* **41,** 71 (1989)

Resonance Effects in Neutron Scattering Lengths of Rare-Earth Nuclides, *J. E. Lynn* and *P. A. Seeger* **44,** 191 (1990)

Neutron Scattering Lengths: A Survey of Experimental Data and Methods, *L. Koester, H. Rauch,* and *E. Seymann* **49,** 65 (1991)

Calculated Differential Elastic and Inelastic Neutron Scattering by ^{12}C and ^{16}O between 30 and 60 MeV, *M. S. Islam* and *R. W. Finlay* **58,** 245 (1994)

Neutron-Producing Reactions (*65*)

Peak Cross Sections for (HI, *xn*) Reactions, *W. Neubert* NDT **A11,** 531 (1973)

Neutron Production Cross Sections and Energies for the Reactions $T(p, n)^3$He, D$(d, n)^3$He, and $T(d, n)^4$He, *H. Liskien* and *A. Paulsen* NDT **A11,** 569 (1973)

Neutron Production Cross Sections and Energies for the Reactions ^{7}Li$(p, n)^7$Be and ^{7}Li$(p, n)^7$Be*, *H. Liskien* and *A. Paulsen* **15,** 57 (1975)

Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *B. L. Berman* **15,** 319 (1975)
Annotated References on Neutron and Photon Production from Thick Targets Bombarded by Charged Particles, *T. Nakamura, Y. Uwamino, K. Sato, Y. Furuta, S. Tanaka, S. Ban, H. Hirayama, T. Kosako, K. Kawachi,* and *Y. Nishihara* **32,** 471 (1985)
Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *S. S. Dietrich* and *B. L. Berman* **38,** 199 (1988)

Nuclear Bands (*66*)
See also *Nuclear Models, Optical Model* (*70*)

Comparative Study of Two-Parameter Models for Predicting Rotational Energies in Even-Even Nuclei, *P. C. Sood* NDT **A4,** 281 (1968)
Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands, *M. Sakai* NDT **A8,** 323 (1970)
Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands—1972, *M. Sakai* NDT **A10,** 511 (1972)
Rotational and Quasirotational Bands in Even-Even Nuclei, *R. O. Sayer, J. S. Smith III,* and *W. T. Milner* **15,** 85 (1975)
Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands—1974, *M. Sakai* **15,** 513 (1975)
Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands, *M. Sakai* and *A. C. Rester* **20,** 441 (1977)
Energies of Ground-State Bands of Even Nuclei from Generalized Variable Moment of Inertia Models, *D. Bonatsos* and *A. Klein* **30,** 27 (1984)
Quasi-Bands in Even-Even Nuclei, *M. Sakai* **31,** 399 (1984)
Intrinsic Structures and Associated Rotational Bands in Deformed Even–Even Nuclei with $60 \leqslant Z \leqslant 76$ and $90 \leqslant N \leqslant 114$, *P. C. Sood, D. M. Headly,* and *R. K. Sheline* **47,** 89 (1991)
Rotational Bands in Deformed Odd-*A* Nuclei in the Actinide Region, *K. Jain* and *A. K. Jain* **50,** 269 (1992)
Intrinsic Structures and Associated Rotational Bands in Deformed Even–Even Nuclei of the Actinide Region, *P. C. Sood, D. M. Headly,* and *R. K. Sheline* **51,** 273 (1992)
Nuclear Superdeformation Data Tables, *X.-L. Han* and *C.-L. Wu* **52,** 43 (1992)
Intrinsic and Rotational Level Structures in Odd–Odd Actinides, *P. C. Sood, D. M. Headly, R. K. Sheline,* and *R. W. Hoff* **58,** 167 (1994)

Nuclear Charge and Moment Distributions (*67*)
See also *Nuclear Radii* (*72*)

Nuclear Charge- and Magnetization-Density-Distribution Parameters from Elastic Electron Scattering, *C. W. de Jager, H. de Vries,* and *C. de Vries* **14,** 479 (1974)
Erratum **16,** 580 (1975)
Charge-Distribution Parameters, Isotope Shifts, Isomer Shifts, and Magnetic Hyperfine Constants from Muonic Atoms, *R. Engfer, H. Schneuwly, J. L. Vuilleumier, H. K. Walter,* and *A. Zehnder* **14,** 509 (1974)
Erratum **16,** 580 (1975)
Nuclear Charge-Density-Distribution Parameters from Elastic Electron Scattering, *H. de Vries, C. W. de Jager,* and *C. de Vries* **36,** 495 (1987)

Nuclear Decay Schemes (*68*)
Radioactive Atoms: Auger-Electron, α-, β-, γ-, and X-Ray Data, *M. J. Martin* and *P. H. Blichert*-Toft NDT **A8,** 1 (1970)
Midstream Evaluation, $A = 88$, *C. D. Goodman, T. A. Hughes, M. W. Johns,* and *K. Way* NDT **A8,** 345 (1970)
Midstream Evaluation, $A = 89$, *M. W. Johns, J. Y. Park, S. M. Shafroth, D. M. Van Patter,* and *K. Way* NDT **A8,** 373 (1970)
Midstream Evaluation, $A = 90$, *J. B. Ball, M. W. Johns,* and *K. Way* NDT **A8,** 407 (1970)

Nuclear Masses (*69*)
See *Masses and Mass Differences* (*56*)

Nuclear Models, Optical Model (*70*)
Deuteron Absorption Coefficients and Reaction Cross Sections Calculated with Optical Model Potentials, *M. A. Melkanoff, T. Sawada,* and *N. Cindro* NDT **A2,** 263 (1966)
Compilation of Phenomenological Optical-Model Parameters 1969–1970, *C. M. Perey* and *F. G. Perey* NDT **A10,** 539 (1972)
Compilation of Phenomenological Optical-Model Parameters 1969–1972, *C. M. Perey* and *F. G. Perey* **13,** 293 (1974)
Compilation of Phenomenological Optical-Model Parameters 1954–1975, *C. M. Perey* and *F. G. Perey* **17,** 1 (1976)
^{6,7}Li Optical-Model Parameters, *J. Cook* **26,** 19 (1981)
Quasiparticle Levels in Rotating Rare Earth Nuclei: A Cranked Shell-Model Dictionary, *R. Bengtsson, S. Frauendorf,* and *F.-R. May* **35,** 15 (1986)
Compilation of Triton Optical Model Parameters, 1954–1990, *R. P. Ward* and *P. R. Hayes* **49,** 315 (1991)
Shape Coexistence Effects of Super- and Hyperdeformed Configurations in Rotating Nuclei with $58 \leqslant Z \leqslant 74$, *T. R. Werner* and *J. Dudek* **50,** 179 (1992)
Shape Coexistence Effects of Super- and Hyperdeformed Configurations in Rotating Nuclei. II. Nuclei with $42 \leqslant Z \leqslant 56$ and $74 \leqslant Z \leqslant 92$, *T. R. Werner* and *J. Dudek* **59,** 1 (1995)

Nuclear Moments (*71*)
Nuclear Spins and Moments, *G. H. Fuller* and *V. W. Cohen* NDT **A5,** 433 (1969)
Nuclear Intrinsic Quadrupole Moments and Deformation Parameters, *K. E. G. Löbner, M. Vetter,* and *V. Hönig* NDT **A7,** 495 (1970)
Quadrupole Moments of Nuclear Excited States Measured by the Reorientation Effect in Coulomb Excitation, *A. Christy* and *O. Häusser* NDT **A11,** 281 (1973)
Table of Nuclear Moments, *P. Raghavan* **42,** 189 (1989)
Nuclear Charge Radii and Electronic Quadrupole Moments of Even–Even Isotopes, *B. Nerlo-Pomorska* and *B. Mach* **60,** 287 (1995)

Nuclear Radii (*72*)
See also *Nuclear Charge and Moment Distributions* (*67*)

Changes of Mean-Square Nuclear Charge Radii from Isotope Shifts of Electronic *K* X-Rays, *F. Boehm* and *P. L. Lee* **14,** 605 (1974)
Erratum **16,** 580 (1975)
Changes in Mean-Square Nuclear Charge Radii from Optical Isotope Shifts, *K. Heilig* and *A. Steudel* **14,** 613 (1974)
Changes in Mean-Square Nuclear Charge Radii from Mössbauer Isomer Shifts, *G. M. Kalvius* and *G. K. Shenoy* **14,** 639 (1974)
Changes in Mean-Square Nuclear Charge Radii from Optical Isotope Shifts, *P. Aufmuth, K. Heilig,* and *A. Steudel* **37,** 455 (1987)
Systematics of Nuclear Charge Radii, *E. G. Nadjakov, K. P. Marinova,* and *Y. P. Gangrsky* **56,** 133 (1994)
Nuclear Ground State Charge Radii from Electromagnetic Interactions, *G. Fricke, C. Bernhardt, K. Heilig, L. A. Schaller, L. Schellenberg, E. B. Shera,* and *C. W. de Jager* **60,** 177 (1995)
Nuclear Charge Radii and Electronic Quadrupole Moments of Even–Even Isotopes, *B. Nerlo-Pomorska* and *B. Mach* **60,** 287 (1995)

Nuclear Spectroscopic Factors (*73*)

Spectroscopic Factors for Single-Nucleon Transfer in the $A = 21$–44 Region, *P. M. Endt* **19,** 23 (1977)

Nuclear Stiffness (*74*)

Effective Mass B_2 and Stiffness Parameter C_2 for Quadrupole Vibration in Even-Even Spherical Nuclei, *C. Y. Wong* NDT **A4,** 271 (1968)

Nuclear Transition Probabilities (*75*)

See also *B(E2) and B(E3) Data* (*12*)
E0 and E2 Transitions (*27a*)
M1 and M2 Transitions (*57*)

Compilation of Electromagnetic Transition Rates in Light Nuclei ($A \leqslant 40$), *S. J. Skorka, J. Hertel,* and *T. W. Retz-Schmidt* NDT **A2,** 347 (1966)

Strengths of Gamma-Ray Transitions between Bound States of $A = 21$–44 Nuclei, *P. M. Endt* and *C. van der Leun* **13,** 67 (1974)

Gamma-Ray Transition Probabilities in Deformed Nuclei ($150 < A \leqslant 190$), *W. Andrejtscheff, K. D. Schilling,* and *P. Manfrass* **16,** 515 (1975)

Strengths of Gamma-Ray Transitions in $A = 6$–44 Nuclei (III), *P. M. Endt* **23,** 3 (1979)

Strengths of Gamma-Ray Transitions in $A = 45$–90 Nuclei, *P. M. Endt* **23,** 547 (1979)

Strengths of Gamma-Ray Transitions in $A = 91$–150 Nuclei, *P. M. Endt* **26,** 47 (1981)

Strengths of Gamma-Ray Transitions in $A = 5$–44 Nuclei, IV, *P. M. Endt* **55,** 171 (1993)

Opacities (*75a*)

A Collection of Los Alamos Opacity Tables for All Temperatures, *A. Weiss, J. J. Keady,* and *N. H. Magee, Jr.* **45,** 209 (1990)

Optical Model (*75b*)

See *Nuclear Models, Optical Model* (*70*)

Particle–Solid Interactions (*75c*)

See also *Stopping Power and Range* (*93*)

Backscattering Coefficients of H, D, and He Ions from Solids, *T. Tabata, R. Ito, Y. Itikawa, N. Itoh,* and *K. Morita* **28,** 493 (1983)

Energy Dependence of Ion-Induced Sputtering Yields of Monatomic Solids, *N. Matsunami, Y. Yamamura, Y. Itikawa, N. Itoh, Y. Kazumata, S. Miyagawa, K. Morita, R. Shimizu,* and *H. Tawara* **31,** 1 (1984)

Penetration through Matter (*76*)

See *Photon Cross Sections* (*77*)
Stopping Power and Range (*93*)
Transport (*97*)

Photon Cross Sections (*77*)

Photon Cross Sections from 1 keV to 100 MeV for Elements $Z = 1$ to $Z = 100$, *E. Storm* and *H. I. Israel* NDT **A7,** 565 (1970)

Compilation of Atomic Ultraviolet Photoabsorption Cross Sections for Wavelengths between 3000 and 10 Å, *R. D. Hudson* and *L. J. Kieffer* AD **2,** 205 (1971)

Survey of Photon-Attenuation-Coefficient Measurements: 10 eV to 100 GeV, *J. H. Hubbell* AD **3,** 241 (1971)

Photon Cross Sections from 0.1 keV to 1 MeV for Elements $Z = 1$ to $Z = 94$, *W. J. Veigele* AD **5,** 51 (1973)

Rayleigh and Raman Cross Sections for the Hydrogen Molecule, *A. L. Ford* and *J. C. Browne* AD **5,** 305 (1973)

Differential Cross Sections for Coherent Photon Scattering by Elements $Z = 2$ through $Z = 26$, *R. T. Brown* **15,** 111 (1975)

Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *B. L. Berman* **15,** 319 (1975)

Absolute Photoionization Cross-Section Tables for Helium, Neon, Argon, and Krypton in the VUV Spectral Regions, *G. V. Marr* and *J. B. West* **18,** 497 (1976)

Cross Sections for the Photoionization of $H_2(X^1\Sigma_g^+, v_i = 0$–$14)$ with the Formation of $H_2^+(X^2\Sigma_g^+, v_f = 0$–$18)$, and Vibrational Overlaps and R^n-Centroids for the Associated Vibrational Transitions, *M. R. Flannery, H. Tai,* and *D. L. Albritton* **20,** 563 (1977)

Absolute Photoionization-Cross Section Tables for Xenon in the VUV and the Soft X-Ray Regions, *J. B. West* and *J. Morton* **22,** 103 (1978)

K and *L* X-Ray Mass Attenuation Coefficients for Low-*Z* Materials, *E. C. Montenegro, G. B. Baptista,* and *P. W. E. P. Duarte* **22,** 131 (1978)

Photoionization and Photoabsorption Cross Sections of He, O, N_2, and O_2 for Aeronomic Calculations, *K. Kirby, E. R. Constantinides, S. Babeu, M. Oppenheimer,* and *G. A. Victor* **23,** 63 (1979)

Photoionization Cross Sections and Photoelectron Angular Distributions for X-Ray Line Energies in the Range 0.132–4.509 keV. Targets: $1 \leqslant Z \leqslant 100$, *I. M. Band, Yu. I. Kharitonov,* and *M. B. Trzhaskovskaya* **23,** 443 (1979)

Photoionization Cross Sections Calculated by the Scaled Thomas–Fermi Method ($h\nu \leqslant 50$ eV), *D. Hofsaess* **24,** 285 (1979)

Theoretical Photoionization Parameters for the Noble Gases Argon, Krypton, and Xenon, *K.-N. Huang, W. R. Johnson,* and *K. T. Cheng* **26,** 33 (1981)

Low-Energy X-Ray Interaction Coefficients: Photoabsorption, Scattering, and Reflection, $E = 100$–2000 eV, $Z = 1$–94, *B. L. Henke, P. Lee, T. J. Tanaka, R. L. Shimabukuro,* and *B. K. Fujikawa* **27,** 1 (1982)

Atomic Subshell Photoionization Cross Sections and Asymmetry Parameters: $1 \leqslant Z \leqslant 103$, *J. J. Yeh* and *I. Lindau* **32,** 1 (1985)

Isoelectronic Sequence Fits to Configuration-Averaged Photoionization Cross Sections and Ionization Energies, *R. E. H. Clark, R. D. Cowan,* and *F. W. Bobrowicz* **34,** 415 (1986)

X-Ray Attenuation Cross Sections for Energies 100 eV to 100 keV and Elements $Z = 1$ to $Z = 92$, *E. B. Saloman, J. H. Hubbell,* and *J. H. Scofield* **38,** 1 (1988)

Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *S. S. Dietrich* and *B. L. Berman* **38,** 199 (1988)

Amplitudes for Delbrück Scattering, *H. Falkenberg, A. Hünger, P. Rullhusen, M. Schumacher, A. I. Milstein,* and *K. Mork* **50,** 1 (1992)

Photoionization of Excited States of Neutral Atomic Carbon and Singly Ionized Nitrogen, *V. Escalante* and *G. A. Victor* **51,** 1 (1992)

Photoionization and Photoabsorption Cross Sections of O, N_2, O_2, and N for Aeronomic Calculations, *J. A. Fennelly* and *D. G. Torr* **51,** 321 (1992)

X-Ray Elastic and Inelastic Scattering Factors for Neutral Atoms $Z = 2$–92, *Jiahu Wang, Robin P. Sagar, Hartmut Schmider,* and *Vedene H. Smith, Jr.* **53,** 233 (1993)

X-ray Interactions: Photoabsorption, Scattering, Transmission, and Reflection at $E = 50$–30,000 eV, $Z = 1$–92, *B. L. Henke, E. M. Gullikson,* and *J. C. Davis* **54,** 181 (1993)
Erratum **55,** 349 (1993)

Subshell Photoionization Cross Sections and Ionization Energies of Atoms and Ions from He to Zn, *D. A. Verner, D. G. Yakovlev, I. M. Band,* and *M. B. Trzhaskovskaya* **55,** 233 (1993)

Transition Probabilities and Photoionization of Neutral Atomic Oxygen, *V. Escalante,* and *G. A. Victor* **56,** 213 (1994)

Photon-Producing Reactions (*77a*)

Annotated References on Neutron and Photon Production from Thick Targets Bombarded by Charged Particles, *T. Nakamura, Y. Uwamino, K. Sato, Y. Furuta, S. Tanaka, S. Ban, H. Hirayama, T. Kosako, K. Kawachi,* and *Y. Nishihara* **32,** 471 (1985)

Plasmas (*79*)

Collisional Transition Probabilities for Atomic Hydrogen in Thermal Plasmas from 1000 °K to 8000 °K, *J. Kunc* and *M. Zgorzelski* **15,** 543 (1975)

Collisional Transition Probabilities for Alkali Metal Atoms in Thermal Plasmas from 1000 °K to 8000 °K, *J. Kunc* and *M. Zgorzelski* **19,** 1 (1977)

Steady-State Radiative Cooling Rates for Low-Density, High-Temperature Plasmas, *D. E. Post, R. V. Jensen, C. B. Tarter, W. H. Grasberger,* and *W. A. Lokke* **20,** 397 (1977)

Polarizabilities (*80*)

The Static Dipole Polarizabilities of All the Neutral Atoms in Their Ground States, *R. R. Teachout* and *R. T. Pack* AD **3,** 195 (1971)

Refractive Indices, Verdet Constants, and Polarizabilities of the Inert Gases, *P. J. Leonard* **14,** 21 (1974)

Electric-Dipole, Quadrupole, and Magnetic-Dipole Susceptibilities and Shielding Factors for Closed-Shell Ions of the He, Ne, Ar, Ni(Cu^+), Kr, Pb, and Xe Isoelectronic Sequences, *W. R. Johnson, D. Kolb,* and *K.-N. Huang* **28,** 333 (1983)

Positron Annihilation (*81*)

The Probability of Positron Annihilation-in-Flight for Allowed Beta Decay, *G. Azuelos* and *J. E. Kitching* **17,** 103 (1976)

Positron-Annihilation Data Tables, *R. M. Singru, K. B. Lal,* and *S. J. Tao* **17,** 271 (1976)

Positron-Annihilation Data Tables, *R. M. Singru, K. B. Lal, S. J. Tao,* and *R. M. Lambrecht* **20,** 475 (1977)

Potentials (*81a*)

See *Atomic Potentials* (*6a*)

Proton and Pion Beams (*82*)

Target Thickness-Angular Spread Tables for Proton and Pion Beams, *E. V. Hungerford* and *B. W. Mayes* **15,** 477 (1975)

Proton Cross Sections (*83*)

See *Charged-Particle Cross Sections and Reactions* (*20*)

Protons on Helium (*84*)

See also *Shore and Fano Parameters* (*91*)

Differential Cross Sections for Ejection of Electrons from Helium by Protons, *M. E. Rudd, L. H. Toburen,* and *N. Stolterfoht* **18,** 413 (1976)

Q-Values (*85*)

See *Masses and Mass Differences* (*56*)

Radioactivity (*85a*)

See *Nuclear Decay Schemes* (*68*)

Range (*86*)

See *Stopping Power and Range* (*93*)

Reaction Rates (*87*)

See also *Thermonuclear Data* (*96*)

Rate Constants of Thermal Energy Binary Ion-Molecule Reactions of Aeronomic Interest, *E. E. Ferguson* **12,** 159 (1973)

Ion-Neutral Reaction-Rate Constants Measured in Flow Reactors through 1977, *D. L. Albritton* **22,** 1 (1978)

Roothaan–Hartree–Fock Values (*87a*)

See *Hartree–Fock–Roothaan Values* (*45*)

Rotation, Rotation–Vibration (*88*)

See also *Hydrogen Molecule* (*47*)
Nuclear Bands (*66*)

Tables of Rotational Wavefunctions d^I_{MK}, $I \leqslant 13$ and $I \leqslant 25/2$, *A. N. Behkami* NDT **A10,** 1 (1971)

The Reduced Rotation Matrix: Plots and Zeros, *J. G. Cramer* and *W. J. Braithwaite* NDT **A10,** 469 (1972)

Polynomial Approximations to the Stark Perturbed Rotational Energy Levels of the Rigid Symmetric Top Rotor, *I. Røeggen* AD **4,** 289 (1972)

Rotational and Hyperfine Structure Constants for Groups I*A* and III*A* Monohalide and Monohydride Molecules, *C. E. Miller, A. A. Finney,* and *F. W. Inman* AD **5,** 1 (1973)

Satellites (*88a*)

See also *Isoelectronic Sequences* (*53a*)

Wavelengths and Transition Probabilities of Satellites to Resonance Lines of H- and He-like Ions, *L. A. Vainshtein* and *U. I. Safronova* **21,** 49 (1978)

Atomic Constants of Autoionization States of Ions with $Z = 6, 8, 10–42$ in the Be Isoelectronic Sequence, *U. I. Safronova* and *T. G. Lisina* **24,** 49 (1979)

Dielectronic Satellite Spectra for Highly Charged H-like Ions ($2l'3l''–1s2l$, $2l'3l''–1s3l$) and He-like Ions ($1s2l'3l''–1s^22l$, $1s2l'3l''–1s^23l$) with $Z = 6–33$, *L. A. Vainshtein* and *U. I. Safronova* **25,** 311 (1980)

Simulated Lyman-Alpha and Dielectronic Satellite Spectra, $Z = 6–20$, *J. F. Seely* **26,** 137 (1981)

L X-Ray Satellite Energies, *F. Parente, M. H. Chen, B. Crasemann,* and *H. Mark* **26,** 383 (1981)

Dirac–Fock Energies for Multiple *K*- Plus *L*-Shell Vacancy States of Ions with $Z = 9$ to 18, *R. J. Maurer* and *R. L. Watson* **34,** 185 (1986)

Energy Shifts of *L* X-Rays from $70 \leqslant Z \leqslant 90$ Elements Due to Multiple *M* Vacancies, *W. Uchai, C. W. Nestor, Jr., S. Raman,* and *C. R. Vane* **34,** 201 (1986)

Dielectronic Satellite Spectra for He-like Ions, *M. H. Chen* **34,** 301 (1986)

Dielectronic Satellite Spectra for Hydrogen-like Ions, *J. Nilsen* **37,** 191 (1987)

Dielectronic Satellite Spectra of Li-like Ions, *M. H. Chen* and *B. Crasemann* **37,** 419 (1987)

Dielectronic Satellite Spectra for Helium-like Ions, *J. Nilsen* **38,** 339 (1988)

K-Shell Auger and Radiative Transitions in the Boron Isoelectronic Sequence, *M. H. Chen* and *B. Crasemann* **38,** 381 (1988)

Dielectronic Satellite Spectra for Neon-like Ions, *J. Nilsen* **41,** 131 (1989)

Dielectronic Spectra for Ne-Like Titanium from F-Like Low-Lying States, *Y.-H. Qiu, S.-C. Li,* and *Y.-S. Sun* **55,** 1 (1993)

Scattering (*88b*)

See also *Electron Scattering* (*32*)

Neutron Cross Sections, Scattering Lengths (*64*)
Photon Cross Sections (*77*)
Proton and Pion Beams (*82*)
Stopping Power and Range (*93*)

Scattering of Protons by Hydrogen Atoms at Low Energies: Phase Shifts and Differential Cross Sections, *G. Hunter* and *M. Kuriyan* **25,** 287 (1980)
Single-Particle Glauber Matrix Elements, *E. Oset* and *D. Strottman* **28,** 531 (1983)

Screening Constants (*89*)
Screening Constants for the Helium and Lithium Isoelectronic Sequences, *K.-N. Huang* **20,** 161 (1977)

S-Function Plethysms (*90*)
Tables of Outer *S*-Function Plethysms, *P. H. Butler* and *B. G. Wybourne* AD **3,** 133 (1971)
Symmetric and Antisymmetric Outer Plethysms of Schur Functions, *Ö. Eğecioğlu* and *J. B. Remmel* **32,** 157 (1985)

Shore and Fano Parameters (*91*)
Tables of Shore and Fano Parameters for the Helium Resonances $2s^2\ ^1S$, $2p^2\ ^1D$, and $2s2p\ ^1P$ Excited in *p*-He Collisions, $E_p = 33$–150 keV, *A. Bordenave-Montesquieu, P. Benoit-Cattin, A. Gleizes,* and *H. Merchez* **17,** 157 (1976)

Slater Radial Integrals (*92*)
Tables of Hydrogenic Slater Radial Integrals, *P. H. Butler, P. E. H. Minchin,* and *B. G. Wybourne* AD **3,** 153 (1971)
Erratum **27,** 145 (1982)

Sputtering (*92a*)
See *Particle–Solid Interactions* (*75c*)

Statistical Spectroscopy (*92b*)
The First Four Moments of the Spectral Density Distribution of an *N*-electron Hamiltonian Matrix Defined in an Antisymmetric and Spin-Adapted Model Space, *J. Karwowski, R. Rajadell, J. Planelles,* and *V. Mas* **61,** 177 (1995)

Stopping Power and Range (*93*)
See also *Bremsstrahlung* (*17*)
Electron Scattering (*32*)

A Range-Energy Table for Heavy Particles in Silicon, *H. Bichsel* and *C. Tschalaer* NDT **A3,** 343 (1967)
Range and Stopping-Power Tables for Heavy Ions, *L. C. Northcliffe* and *R. F. Schilling* NDT **A7,** 233 (1970)
Energy Loss, Range, and Bremsstrahlung Yield for 10-keV to 100-MeV Electrons in Various Elements and Chemical Compounds, *L. Pages, E. Bertel, H. Joffre,* and *L. Sklavenitis* AD **4,** 1 (1972)
Stopping Cross Sections and Backscattering Factors for ^{4}He Ions in Matter, $Z = 1$–92, $E(^4\text{He}) = 400$–4000 keV, *J. F. Ziegler* and *W. K. Chu* **13,** 463 (1974)
Ranges of Projectiles with $8 \leqslant Z \leqslant 20$ in Ti, Fe, Ni, Cu, Ag, and Au for Energies of 0.0125 to 12.0 MeV/Nucleon, *L. Winsberg* **20,** 389 (1977)
Electronic Stopping Power of Low-Velocity Ions, Ions: C–Xe, Targets: H–Xe, *D. J. Land* and *J. G. Brennan* **22,** 235 (1978)
Proton Range-Energy Tables, 1 keV–10 GeV, Energy Loss, Range, Path Length, Time-of-Flight, Straggling, Multiple Scattering, and Nuclear Interaction Probability. Part I. For 63 Compounds, *J. F. Janni* **27,** 147 (1982)
Proton Range-Energy Tables, 1 keV–10 GeV, Energy Loss, Range, Path Length, Time-of-Flight, Straggling, Multiple Scattering, and Nuclear Interaction Probability. Part II. For 92 Elements, *J. F. Janni* **27,** 341 (1982)
Density Effect for the Ionization Loss of Charged Particles in Various Substances, *R. M. Sternheimer, M. J. Berger,* and *S. M. Seltzer* **30,** 261 (1984)
Orbital and Whole-Atom Proton Stopping Power and Shell Corrections for Atoms with $Z \leqslant 36$, *J. Oddershede* and *J. R. Sabin* **31,** 275 (1984)
Range and Stopping Power Tables for 2.5–500 MeV/Nucleon Heavy Ions in Solids, *F. Hubert, R. Bimbot,* and *H. Gauvin* **46,** 1 (1990)
Partial and Total Electronic Stopping Cross Sections of Atoms and Solids for Protons, *Toshiaki Kaneko* **53,** 271 (1993)

Structure Amplitudes (*94*)
Tables of Nuclear Structure Amplitudes for Two-Nucleon Transfer Involving Light Projectiles ($A \leqslant 4$), *N. K. Glendenning* **16,** 1 (1975)

SU_3 (*95*)
Tables of the SU_3 Fractional-Parentage and Clebsch–Gordon Coefficients in the 2*s*-1*d* Shell (I), *Y. Akiyama* NDT **A2,** 403 (1966)
Reduction of U_6 Representations into SU_3 Irreducible Components, *R. Pérez* and *J. Flores* NDT **A4,** 265 (1968)
Reduction of U_{15} Representations into SU_3 Irreducible Components, *K. V. Krishna Brahmam* and *R. D. Ratna Raju* **16,** 165 (1975)
Erratum **23,** 589 (1979)
Note: Classification of the SU_3-States in Heavy Deformed Nuclei, *L. Sabaliauskas* **25,** 387 (1980)
Tables of SU(3) Isoscalar Factors, *T. A. Kaeding* **61,** 233 (1995)

Synchrotron Radiation (*95a*)
Synchrotron Radiation Intensity for 50-MeV to 50-GeV Electrons, *W. B. Westerveld, A. McPherson,* and *J. S. Risley* **28,** 21 (1983)
Erratum **28,** 597 (1983)

Thermonuclear Data (*96*)
Tables of Thermonuclear-Reaction-Rate Data for Neutron-Induced Reactions on Heavy Nuclei, *J. A. Holmes, S. E. Woosley, W. A. Fowler,* and *B. A. Zimmerman* **18,** 305 (1976)
Semiempirical Thermonuclear Reaction-Rate Data for Intermediate-Mass Nuclei, *S. E. Woosley, W. A. Fowler, J. A. Holmes,* and *B. A. Zimmerman* **22,** 371 (1978)
Thick-Target Measurements and Astrophysical Thermonuclear Reaction Rates: Proton-Induced Reactions, *N. A. Roughton, M. R. Fritts, R. J. Peterson, C. S. Zaidins,* and *C. J. Hansen* **23,** 177 (1979)
Thick-Target Measurements and Astrophysical Thermonuclear Reaction Rates: Alpha-Induced Reactions, *N. A. Roughton, T. P. Intrator, R. J. Peterson, C. S. Zaidins,* and *C. J. Hansen* **28,** 341 (1983)
Tables of Thermonuclear Reaction Rates for Low-Mass Nuclei ($1 \leqslant Z \leqslant 14$), *G. R. Caughlan, W. A. Fowler, M. J. Harris,* and *B. A. Zimmerman* **32,** 197 (1985)
Beta-Decay Rates of Highly Ionized Heavy Atoms in Stellar Interiors, *K. Takahashi* and *K. Yokoi* **36,** 375 (1987)
Neutron Capture Cross Sections for s-Process Studies, *Z. Y. Bao* and *F. Käppeler* **36,** 411 (1987)
Thermonuclear Reaction Rates V, *G. R. Caughlan* and *W. A. Fowler* **40,** 283 (1988)
Rate Tables for the Weak Processes of *sd*-Shell Nuclei in Stellar Matter, *T. Oda, M. Hino,* and *K. Muto* **56,** 231 (1994)

Transport (*97*)

Transport Properties of Atomic Hydrogen, *A. C. Allison* and *F. J. Smith* AD **3,** 317 (1971)

Tables of Transport Collision Integrals for (*n, 6, 4*) Ion-Neutral Potentials, *L. A. Viehland, E. A. Mason, W. F. Morrison,* and *M. R. Flannery* **16,** 495 (1975)

Transport Properties of Gaseous Ions over a Wide Energy Range, *H. W. Ellis, R. Y. Pai, E. W. McDaniel, E. A. Mason,* and *L. A. Viehland* **17,** 177 (1976)

Transport Properties of Gaseous Ions over a Wide Energy Range. Part II, *H. W. Ellis, E. W. McDaniel, D. L. Albritton, L. A. Viehland, S. L. Lin,* and *E. A. Mason* **22,** 179 (1978)

Transport Properties of Gaseous Ions over a Wide Energy Range. Part III, *H. W. Ellis, M. G. Thackston, E. W. McDaniel,* and *E. A. Mason* **31,** 113 (1984)

Transport Properties of Gaseous Ions over a Wide Energy Range, Part IV, *L. A. Viehland* and *E. A. Mason* **60,** 37 (1995)

Two-Electron Systems (*98*)

Reduced Matrix Elements of Two-Electron Double-Vector Operators for f^4 and f^5 *H. Crosswhite* and *B. R. Judd* AD **1,** 329 (1970)

Energy Levels and Classifications of Doubly-Excited States in Two-Electron Systems with Nuclear Charge, $Z = 1, 2, 3, 4, 5$, below the $N = 2$ and $N = 3$ Thresholds, *L. Lipsky, R. Anania,* and *M. J. Conneely* **20,** 127 (1977)

Velocity Parameters (*99*)

See also *Compton Profiles* (*22*)

Velocity Parameters of Atomic Wavefunctions, *V. H. Ponce* **19,** 63 (1977)

Wavelengths (*99a*)

See *Atomic Spectra* (*8*)

Xenon⁻ Ion (*100*)

A Compound Atom State in Xenon: Parameters for the Xe^- Ion, *C. Foglia* AD **1,** 361 (1970)

X Rays (*101*)

See also *Binding Energies, Atomic* (*15*)
Inner-Shell Ionization (*50*)
Photon Cross Sections (*77*)

K X-Ray Transition Probabilities, *G. C. Nelson, B. G. Saunders,* and *S. I. Salem* AD **1,** 377 (1970)

L X-Ray Transition Probabilities, *S. I. Salem* and *C. W. Schultz* AD **3,** 215 (1971)

Experimental *K* and *L* Relative X-Ray Emission Rates, *S. I. Salem, S. L. Panossian,* and *R. A. Krause* **14,** 91 (1974)

X-Ray Emission Rates in the Hartree–Slater Approximation, *S. T. Manson* and *D. J. Kennedy* **14,** 111 (1974)

Relativistic Hartree–Slater Values for *K* and *L* X-Ray Emission Rates, *J. H. Scofield* **14,** 121 (1974)

Calculated *K* Auger-Electron and *K* X-Ray Transition Energies for the Multiply Ionized Neon Atom, *D. L. Matthews, B. M. Johnson,* and *C. F. Moore* **15,** 41 (1975)

Experimental Widths of *K* and *L* X-Ray Lines, *S. I. Salem* and *P. L. Lee* **18,** 233 (1976)

Calculation of *K* and *L* X-Rays for Elements of $Z = 95$ to 130, *T. A. Carlson* and *C. W. Nestor, Jr.* **19,** 153 (1977)

Atomic Data Related to X and XUV Radiation, *K. Way* **22,** 125 (1978)

Sine θ Settings for X-Ray Spectrometers, *B. L. Doyle, W. F. Chambers, T. M. Christensen, J. M. Hall,* and *G. H. Pepper* **24,** 373 (1979)

L X-Ray Satellite Energies, *F. Parente, M. H. Chen, B. Crasemann,* and *H. Mark* **26,** 383 (1981)

Dirac–Fock Energies for Multiple *K*- Plus *L*-Shell Vacancy States of Ions with $Z = 9$ to 18, *R. J. Maurer* and *R. L. Watson* **34,** 185 (1986)

Energy Shifts of *L* X-Rays from $70 \leqslant Z \leqslant 90$ Elements Due to Multiple *M* Vacancies, *W. Uchai, C. W. Nestor, Jr., S. Raman,* and *C. R. Vane* **34,** 201 (1986)

Calculated *L*-Shell X-Ray Line Intensities for Proton and Helium Ion Impact, *D. D. Cohen* and *M. Harrigan* **34,** 393 (1986)

Interpolated Dirac–Fock Values of *L*-Subshell X-Ray Emission Rates Including Overlap and Exchange Effects, *J. L. Campbell* and *J.-X. Wang* **43,** 281 (1989)

K and *L* Shell X-ray Fluorescence Cross Sections, *S. Puri, B. Chand, D. Mehta, M. L. Garg, N. Singh,* and *P. N. Trehan* **61,** 289 (1995)

Miscellaneous (*102*)

How to Make a Table, *K. Way* and *L. W. Rose* **12,** No. 2, i (1973)

New Atomic Tables in 1973, *K. Way* **14,** No. 1, i (1974)

New Nuclear Tables in 1973, *K. Way* **14,** No. 1, ii (1974)

International Compilers' Forum: Basic Compilations, *K. Way* **16,** No. 5, i (1975)

Editorial: ''International'' Tables, *K. Way* **23,** 1 (1979)

Editorial: History of a Compilation Journal, *K. Way* **27,** 531 (1982)

World-Wide News (Descriptions of Tables Published Elsewhere) (*103*)

World-Wide News of Compilations in Nuclear Physics
NDT **A1,** 487 (1966)
NDT **A2,** 333 (1966)
NDT **A3,** 361 (1967)

World-Wide News NDT **A8,** 437 (1970)
AD **1,** 457 (1970)

World-Wide News. International Nuclear Information System **19,** 299 (1977)